


# Aus Safesigns & Products

## Product Catalogue

Signs That Keep  
WA Moving





# TABLE OF CONTENTS

	PAGE	
➤ REGULATORY SIGNS ➤ (PARKING SIGNS - PAGE 13)	03	
➤ WARNING SIGNS	17	
➤ GUIDE SIGNS ➤ (STREET NAME SIGNS - PAGE 35)	27	
➤ HAZARD MARKERS	37	
➤ TEMPORARY ROADWORK SIGNS ➤ (CORFLUTES & MULTI MESSAGE SIGNS - PAGE 45)	41	
➤ TRANSPORT SIGNS	57	
➤ WORK ZONE PRODUCTS	63	
➤ SIGN ACCESSORIES	69	
➤ SAFETY SIGNS	75	
➤ RECREATIONAL SIGNS	81	
➤ SPECIALTY PRODUCTS (BRAILLE TACTILE PAGE 88, SPECIAL ORDER ELECTRONIC SIGNAGE - PAGE 91)	85	
➤ COMMERCIAL GRAPHICS	95	



## Care and Storage of Signs

Signs should be stored with either slip sheeting or foam padding between them to reduce the risk of abrasions. If signs are not stored upright with proper padding, ASAP Signs cannot accept responsibility for damage, as these damages will most likely be permanent.


Signs should not be stacked flat, rather stored on edge in a dry environment. Stacking signs flat may compress either the glass beads, or prisms in the sheeting, resulting in a loss of necessary reflectivity.



# REGULATORY SIGNS S1



# REGULATORY SIGNS S1



REGULATORY SIGNS INFORM ROAD USERS OF TRAFFIC LAWS OR REGULATIONS WHICH, IF DISREGARDED, IS AN OFFENCE. THEY ARE NORMALLY PLACED AT THE POINT OR BEGINNING OF THE SECTION WHERE THE REGULATION APPLIES.

Included in this classification are signs which indicate the end of a legal restriction imposed by a preceding regulatory sign, e.g. the END LOAD LIMIT sign (R6-5).

Most regulatory signs are rectangular with the long axis vertical and have black legend with or without red annulus and slash on white background.

Wherever practicable, use is made of symbols and arrows to:

- a. Assist in identification
- b. Clarify the instruction; and
- c. Increase legibility

Additional legend may be required on certain signs to restrict their application to particular periods and classes of traffic or to indicate the beginning or end of a special traffic lane.

## SIGN CLASSIFICATIONS

The sub-classifications and their relevant prefix and series coding for regulatory signs are as follows:

SERIES No.	CLASSIFICATION
R1	Movement series
R2	Direction series
R3	Pedestrian series
R4	Speed series
R5	Parking series
R6	Miscellaneous series
R7	Exclusive-use lane series
R8	Bicycle/Pedestrian series
R9	Supplementary plates for general use



## REGULATORY SIGNS

All signs are available in CL400 [CL1] & CL100 [CLIX] materials



RI-1A 600 x 600  
RI-1B 750 x 750  
RI-1C 900 x 900



RI-2AA 375  
RI-2A 750  
RI-2B 900  
RI-2C 1200



TC2235A 600 x 200  
TC2235B 750 x 250  
Fluoro Yellow Green



RI-3A 750  
RI-3B 900  
RI-3C 1200



NSW ONLY  
RI-4A 450 x 450



R2-2A 450 x 600  
R2-2B 600 x 800  
(L or R)



R2-3AA 300 x 400  
R2-3A 450 x 600  
R2-3B 600 x 800  
(L or R)



NSW, NT & ACT ONLY  
R2-4A-RTA 450 x 750  
R2-4B-RTA 600 x 1000  
R2-4C-RTA 750 x 1250



R2-4AA 300 x 300  
R2-4A 450 x 450  
R2-4B 600 x 600  
R2-4C 750 x 750  
R2-4D 900 x 900



NSW, NT & ACT ONLY  
R2-5A-RTA 450 x 750  
R2-5B-RTA 600 x 1000



R2-5A 450 x 450  
R2-5B 600 x 600  
R2-5C 750 x 750  
R2-5D 900 x 900



NSW, NT & ACT ONLY  
R2-6A-RTA 450 x 900  
R2-6B-RTA 600 x 1200  
(L or R)



R2-6A 450 x 450  
R2-6B 600 x 600  
R2-6C 750 x 750  
R2-6D 900 x 900  
(L or R)

# REGULATORY SIGNS



All signs are available in CL400 [CL1] & CL1100 [CLIX] materials



R2-7A 450 x 600  
R2-7B 600 x 800



R2-8A 450 x 600  
R2-8B 600 x 800



R2-9A 450 x 750  
R2-9B 600 x 1000  
(L or R)



R2-10A 300 x 300  
R2-10B 600 x 600



R2-11A 450 x 600  
R2-11B 600 x 800



R2-14A 600 x 800  
R2-14B 900 x 1200  
(L or R)



R2-15A 450 x 600  
R2-15B 600 x 800



R2-16A 750 x 600



R2-17A 450 x 800  
R2-17B 600 x 1050  
R2-17C 900 x 1600



R2-19A 800 x 1200



R2-20 450 x 800



VIC ONLY  
R2-V21 800 x 1150



## REGULATORY SIGNS

All signs are available in CL400 [CL1] & CL100 [CLIX] materials



R2-22 750 x 750



R2-209 150 x 1150



R3-1A 600

R3-1B 750

R3-1C 900



R3-2A 450

R3-2B 600



R3-3A 600 x 600  
FLAG C/W DOWEL  
NON/REFLECTIVE



R3-4A 450 x 1200  
R3-4B 600 x 1600



(DECAL)  
R3-5A 90 x 110  
R3-5B 300x 400  
(L or R)



R4-1A 450 x 600  
R4-1B 600 x 800  
R4-1C 900 x 1200  
R4-1D 1200 x 1600



WA & NT ONLY  
R4-2A 600 x 800  
R4-2B 900 x 1200



R4-3A 450 x 300  
R4-3B 600 x 400  
R4-3C 900 x 600



R4-4A 450 x 750



R4-5A 450 x 750



All signs are available in CL400 [CL1] & CL1100 [CLIX] materials




R4-8A 450 x 300  
R4-8B 600 x 400



R4-9A 450 x 450  
R4-9B 600 x 600



R4-10A 450 x 750  
R4-10B 600 x 1000



R4-11A 450 x 750  
R4-11B 600 x 1000



R4-12B 600 x 1000  
R4-12C 800 x 1334



R4-13A 450 x 150  
R4-13B 600 x 200



**NSW ONLY**  
R4-231A-RTA 900 x 850  
R4-231B-RTA 1200 x 1135  
R4-231C-RTA 1800 x 1700



**VIC ONLY**  
R4-V105A 900 x 850  
R4-V105B 1200 x 1160  
R4-V105C 1800 x 1740  
Fluoro Yellow Green




**NSW ONLY**  
R4-V106AA 360 x 1016  
R4-V106A 450 x 1276



R4-14A 450 x 750  
R4-14B 600 x 1000



R4-V114-1AA 360 x 463  
R4-V114-1A 450 x 750  
R4-V114-1B 600 x 1000  
R4-V114-1C 900 x 1500



**VIC ONLY**  
R4-V115AA 360 x 540  
R4-V115A 450 x 675  
R4-V115 600 x 900



R4-V121AA 360 x 876  
R4-V121A 450 x 1095  
R4-V121B 600 x 1460



**NSW ONLY**  
R4-212A 450 x 900  
R4-212B 600 x 1200  
R4-212C 900 x 1745  
R4-212D 1200 x 2400  
(Hinged or Unhinged)



## REGULATORY SIGNS

All signs are available in CL400 [CL1] & CL100 [CLIX] materials



R5-58A 1500 x 1100  
(L or R)



R6-1A 750 x 900  
R6-1B 1200 x 1440



R6-2A 750 x 900  
R6-2B 1200 x 1440



R6-3A 600 x 900  
R6-3B 900 x 1350



R6-4A 600 x 900  
R6-4B 900 x 1350



R6-6A 450 x 750  
R6-6B 675 x 1125



R6-7A 450  
R6-7B 600



R6-8A 450  
R6-8B 600



R6-9A 450 x 600



R6-10-1A 600 x 600  
R6-10-1B 900 x 900  
R6-10-1C 1200 x 1200



R6-10-2A 600 x 600  
R6-10-2B 900 x 900  
R6-10-2C 1200 x 1200



R6-10-3A 450 x 450  
R6-10-3B 600 x 600  
R6-10-3C 750 x 750  
R6-10-3D 900 x 900

# REGULATORY SIGNS



All signs are available in CL400 [CL1] & CL1100 [CLIX] materials



R6-11A 1950 x 600



R6-12A 1500 x 600



R6-13A 1200 x 1500




R6-14A 450 x 750

R6-14B 675 x 1125



R6-16 1950 x 180



SINGLE AXLE 3.5t

TANDEM AXLE 7.0t

TRI-AXLE 10.5t

R6-15A 300 x 300

R6-15B 450 x 450

R6-17A 1200 x 750



R6-18A 600 x 700

R6-18B 900 x 1050

R6-18C 1200 x 1400

R6-19A 1200 x 600

R6-19B 1800 x 900

R6-20A 1200 x 600

R6-20B 1800 x 900

R6-21A 900 x 450

R6-21B 1800 x 900



R6-22A 1200 x 1000

R6-22B 1400 x 1200

R6-22C 1800 x 1500



R6-23A 1000 x 800

R6-23B 1500 x 1200



R6-25 1350 x 900



R6-26 1350 x 900



## REGULATORY SIGNS

All signs are available in CL400 [CL1] & CL100 [CLIX] materials



R6-27A 600 x 700  
R6-27B 900 x 1050  
R6-27C 1200 x 1400



R6-28A 900 x 900  
R6-28B 1200 x 1200  
R6-28C 1800 x 1800



R6-29A 1200 x 600  
R6-29B 1800 x 900  
R6-29C 2400 x 1200



R6-30A 600 x 1200  
R6-30B 900 x 1800



DECAL  
R6-31A 450 x 450  
R6-31B 600 x 600



R6-32A 1200 x 800



R6-33A 800 x 900  
R6-33B 1200 x 1350



R7-1-1C 600 x 800  
R7-1-1D 900 x 1200  
R7-1-1E 1200 x 1600



R7-1-3C 600 x 800  
R7-1-3D 900 x 1200  
R7-1-3E 1200 x 1600



R7-1-4B 450 x 600  
R7-1-4C 600 x 800  
R7-1-4D 900 x 1200



R7-1-5C 600 x 800  
R7-1-5D 900 x 1200  
R7-1-5E 1200 x 1600



R7-1-6C 600 x 800  
R7-1-6D 900 x 1200  
R7-1-6E 1200 x 1600

# REGULATORY SIGNS



All signs are available in CL400 [CL1] & CL1100 [CLIX] materials

**AHEAD**

R7-2B 450 x 150  
R7-2C 600 x 200  
R7-2D 900 x 300  
R7-2E 1200 x 400

**LEFT LANE**

R7-3B 450 x 300  
R7-3C 600 x 400  
R7-3D 900 x 600  
R7-3E 1200 x 800  
(L & R)

**END**



R7-4A 300 x 100  
R7-4B 450 x 150  
R7-4C 600 x 200  
R7-4D 900 x 300  
R7-4E 1200 x 400

**RIGHT LANE**  
**LEFT LANE**

R7-6-1A 1400 x 400  
(L & R)

**KERB LANE**

R7-6-2A 1400 x 400

**THIS ↓ LANE**

R7-6-4 1600 x 400

**CENTRE LANE**

R7-6-3A 1600 x 400

**TRANSIT**  
**T2**   
**LANE**

R7-7-1C 600 x 800  
R7-7-1D 900 x 1200  
R7-7-1E 1200 x 1600

**TRANSIT**  
**T3**   
**LANE**

R7-7-2C 600 x 800  
R7-7-2D 900 x 1200  
R7-7-2E 1200 x 1600

**ONLY**

R7-8C 600 x 800  
R7-8D 900 x 1200  
R7-8E 1200 x 1600

**ONLY**

R8-1A 300 x 450  
R8-1B 450 x 600  
R8-1C 600 x 800

**ONLY**

R8-2A 300 x 450  
R8-2B 450 x 600  
R8-2C 600 x 800

**ONLY**

R8-3A 300 x 300  
R8-3B 450 x 450  
R8-3C 600 x 600  
(L or R) (R Shown)




## REGULATORY SIGNS

All signs are available in CL400 [CL1] & CL1100 [CLIX] materials




R9-1-1A 450 x 300  
R9-1-1B 600 x 400  
R9-1-1C 900 x 600  
R9-1-1D 1200 x 800




R9-1-2A 450 x 450  
R9-1-2B 600 x 600  
R9-1-2C 900 x 900  
R9-1-2D 1200 x 1200



R9-1-3B 600 x 400  
R9-1-3C 900 x 600  
R9-1-3D 1200 x 800



R9-2A 450 x 300  
R9-2B 600 x 400  
R9-2C 750 x 500



R9-3A 450 x 300  
R9-3B 600 x 400  
R9-3C 750 x 500  
R9-3D 1500 x 300



R9-4A 450 x 300  
R9-4B 600 x 400  
R9-4C 750 x 500



R9-5C 750 x 375  
R9-5D 900 x 450



G9-V202-AA 360 x 210  
G9-V202-A 450 x 270  
G9-V202-B 600 x 340  
G9-V202-C 900 x 510



QLD ONLY

TC1195A 750  
TC1195B 900  
TC1195C 1200



QLD ONLY

TC9265A 180 x 1200



QLD ONLY

R4-Q01A 450 x 1400  
R4-Q01B 600 x 1900  
R4-Q01C 900 x 2800

# REGULATORY SIGNS



All signs are available in CL400 [CL1] & CL100 [CLIX] materials



R9-6-1A 750 x 150  
R9-6-1B 1000 x 200  
R9-6-1C 1200 x 240



R9-6-2A 450 x 300  
R9-6-2B 600 x 400  
R9-6-2C 750 x 500




R9-7-1A 750 x 150  
R9-7-1B 1000 x 200  
R9-7-1C 1200 x 240



R9-7-2A 450 x 300  
R9-7-2B 600 x 400  
R9-7-2C 750 x 500



R9-9A 600 x 400  
R9-9B 750 x 500



R9-15A 450 x 300  
R9-15B 600 x 400  
R9-15C 900 x 600



R9-16A 450 x 300  
R9-16B 600 x 400



R9-17B 600 x 400  
R9-17C 900 x 600



R9-19A 750 x 625  
R9-19B 900 x 750  
R9-19C 1050 x 875



# REGULATORY SIGNS

## PARKING SIGNS

Parking controls and the times that they apply vary so widely that parking signs generally have to be designed individually. Many signs contain a number of separate controls on one sign.

A special numbering code comprising a generic number in the R5 Series, together with additional coding has been developed for ordering those signs whose message is variable.

### LINEAR PARKING CONTROL PANELS

TYPE OF CONTROL	SIGN NUMBER
PARKING	
Whole Hours:	
1P	R5-1
2P	R5-2
3P	R5-3
4P	R5-4
5P	R5-5
6P	R5-6
7P	R5-7
8P	R5-8
P No Duration Stated	R5-10
Part of Hours:	
P2 Minute	R5-12
P5 Minute	R5-13
P10 Minute	R5-14
1/4 P	R5-15
1/2 P	R5-16
1 1/2 P	R5-17
ZONE	
Bus Zone	R5-20
Taxi Zone	R5-21
Permit Zone	R5-22
Loading Zone	R5-23
Truck Zone	R5-24
Works Zone	R5-25
Mail Zone	R5-26
NO-STANDING	No - Stopping (At any time)
	R5-35
	No - Stopping (Specific times of operation)
	R5-36
NO-PARKING	No - Parking (At any time)
	R5-40
	No - Parking (Specific times of operation)
	R5-41
CLEARWAY	Clearway (At all times)
	R5-45
	Clearway (Specific times of operation)
	R5-46



PARKING STATION SIGN  
TRISIGN 450 x 600


# REGULATORY SIGNS



Non-Reflective, CL100 [CL2] & CL400 [CL1] materials

## PANEL ARRANGEMENTS ON SIGNS

CODE	SIZE (mm)
N1	225 x 300
N2	225 x 450
W1	450 x 225
W2	450 x 300




## Examples of Panel Arrangement Layouts



P11



P22



P32



P42



PORTABLE PARKING  
TRIPOD  
PPT

## PARKING SIGNS

**Sizes Available:** S = Single 225 x 450, D = Double 450 x 450, T = Triple 450 x 675. Left, Right & Double Arrows also available.



R5-1



R5-10DOAL



R5-20



R5-21



R5-22



## REGULATORY SIGNS

Non-Reflective, CL100 [CL2] & CL400 [CL1] materials

### PARKING SIGNS

Sizes Available: S = Single, D = Double, T = Triple



R5-23



R5-26



R5-35



R5-39A 600 x 225

R5-39B 900 x 337




R5-40



4-6 PM  
MON - FRI

R5-46



(VARIABLE TIMES)  
R5-50A 600 x 800  
R5-50B 900 x 1200



R5-51A 600 x 600  
R5-51B 900 x 900



R5-61A 600 x 900  
R5-61B 900 x 1350



R5-62A 450 x 800  
R5-62B 600 x 1065



R5-63A 600 x 600  
R5-63B 900 x 900



R5-65A 450 x 300  
R5-65B 600 x 400



R5-71A 600 x 800  
R5-71B 900 x 1200



R5-72A 450 x 800  
R5-72B 600 x 1065

# REGULATORY SIGNS



Non-Reflective, CL100 [CL2] & CL400 [CL1] materials

## PARKING SIGNS

Left, Right & Double Arrows available.



R5-73A 450 x 600  
R5-73B 600 x 800



ACT ONLY  
ACTR5-1 300 x 450  
CL100 (Class 2)



ACT ONLY  
ACTR5-2 300 x 450  
CL100 (Class 2)



ACT ONLY  
ACTR5-3 300 x 450  
CL100 (Class 2)



ACT ONLY  
ACTR5-20 300 x 450  
CL100 (Class 2)



ACT ONLY  
ACTR5-22/1 300 x 450  
CL100 (Class 2)



ACT ONLY  
ACTR5-23 300 x 450  
CL100 (Class 2)



ACT ONLY  
ACTR5-35 300 x 450  
CL100 (Class 2)



ACT ONLY  
ACTR5-40 300 x 450  
CL100 (Class 2)




NSW ONLY  
RTAR5-400  
225 x 450



# WARNING SIGNS S2

WARNING  
SIGNS S2



# WARNING SIGNS S2



WARNING SIGNS ARE USED TO WARN TRAFFIC OF POTENTIALLY HAZARDOUS CONDITIONS ON OR ADJACENT TO THE ROAD. WARNING SIGNS ADVISE OF CONDITIONS WHICH REQUIRE CAUTION ON THE PART OF THE DRIVER AND MAY CALL FOR A REDUCTION IN SPEED IN THE INTEREST OF THE SAFETY OF THE DRIVER AND OF OTHER ROAD USERS.

In general, warning signs are diamond shaped (square with one diagonal vertical) with a black legend or symbol, or both, and a black border on a yellow reflectorised background.

The W8 series signs are used in conjunction with other signs in the Warning Series to supplement and clarify the message conveyed and are generally rectangular.

## SIGN CLASSIFICATIONS

The sub-classifications and the prefix and series number relevant to each individual warning signs are as follows:

SERIES No.	CLASSIFICATION
W1	Alignment series
W2	Intersection and junction series
W3	Advance warning of traffic control device series
W4	Road width, low and narrow clearance signs
W5	Road obstacle series
W6	Pedestrian, bicycle and school series
W7	Railway level crossing series
W8	Supplementary plate series
W9	Modified intersection series



# WARNING SIGNS

All signs are available in CL400 [CL1] & CL1100 [CLIX] & Fluoro Yellow Green [FYG] materials

SIZE	DIMENSIONS (mm)
A	600 x 600
B	750 x 750
C	900 x 900
D	1200 x 1200



TURN

W1-1A  
W1-1B  
W1-1C  
W1-1D  
(L or R)



REVERSE TURN

W1-2A  
W1-2B  
W1-2C  
W1-2D  
(L or R)



CURVE

W1-3A  
W1-3B  
W1-3C  
W1-3D  
(L or R)



REVERSE CURVE

W1-4A  
W1-4B  
W1-4C  
W1-4D  
(L or R)



WINDING ROAD

W1-5A  
W1-5B  
W1-5C  
W1-5D  
(L or R)



55  
TILTING TRUCK  
W1-8-ZB 1500 x 3000  
(L or R)



HAIRPIN BEND

W1-7A  
W1-7B  
W1-7C  
W1-7D  
(L or R)



W1-9-11 400 x 1800



CROSS ROAD

W2-1A  
W2-1B  
W2-1C  
W2-1D



T JUNCTION

W2-3A  
W2-3B  
W2-3C  
W2-3D



SIDE ROAD JUNCTION

W2-4A  
W2-4B  
W2-4C  
W2-4D  
(L or R)



ROUNDABOUT

W2-7A  
W2-7B  
W2-7C  
W2-7D



STAGGERED SIDE  
ROAD JUNCTION

W2-8A  
W2-8B  
W2-8C  
W2-8D  
(L or R)



SIDE ROAD JUNCTION  
ON A CURVE

W2-9A  
W2-9B  
W2-9C  
W2-9D  
(L or R)



SIDE ROAD JUNCTION  
ON A CURVE

W2-10A  
W2-10B  
W2-10C  
W2-10D  
(L or R)

# WARNING SIGNS



All signs are available in CL400 [CL1] & CL1100 [CLIX] & Fluoro Yellow Green [FYG] materials



SUCCESSIVE SIDE  
ROAD JUNCTION

W2-11A  
W2-11B  
W2-11C  
W2-11D  
(L or R)



SUCCESSIVE SIDE  
ROAD JUNCTION

W2-12A  
W2-12B  
W2-12C  
W2-12D  
(L or R)



SUCCESSIVE SIDE ROAD

W2-13A  
W2-13B  
W2-13C  
W2-13D  
(L or R)



T-JUNCTION BEYOND

W2-14A  
W2-14B  
W2-14C  
W2-14D  
(L or R)



CROSSROAD ON CURVE

W2-15A  
W2-15B  
W2-15C  
W2-15D  
(L or R)



STOP SIGN AHEAD

W3-1A  
W3-1B  
W3-1C  
W3-1D



GIVE WAY SIGN AHEAD

W3-2A  
W3-2B  
W3-2C  
W3-2D



SIGNALS AHEAD

W3-3-1A  
W3-3-1B  
W3-3-1C  
W3-3-1D



SIGNALS AHEAD

W3-3-2A  
W3-3-2B  
W3-3-2C  
W3-3-2D



ROAD HUMPS AHEAD

W3-4-1A  
W3-4-1B



ROAD HUMPS AHEAD

W3-4-2A  
W3-4-2B  
(L or R)



ROAD HUMPS AHEAD

W3-4-3A  
W3-4-3B  
(L or R)

Fluoro Yellow Green



NARROW BRIDGE

W4-1A  
W4-1B  
W4-1C



ROAD NARROWS

W4-3A  
W4-3B  
W4-3C



DIVIDED ROAD

W4-4A  
W4-4B  
W4-4C



ISLAND

W4-5A  
W4-5B  
W4-5C



## WARNING SIGNS

All signs are available in CL400 [CL1] & CL1100 [CLIX] & Fluoro Yellow Green [FYG] materials



LOW CLEARANCE  
...m (AHEAD)  
W4-8B  
W4-8C



LEFT LANE ENDS  
W4-9B  
W4-9C



LANE ALLOCATION  
W4-10B  
W4-10C



TWO WAY TRAFFIC  
W4-11A  
W4-11B  
W4-11C  
W4-11D



FERRY  
W5-1A  
W5-1B  
W5-1C



OPENING BRIDGE  
W5-2A  
W5-2B  
W5-2C



FORD  
W5-6A  
W5-6B  
W5-6C



FLOODWAY  
W5-7-1A  
W5-7-1B  
W5-7-1C



FLOODWAYS  
W5-7-2A  
W5-7-2B  
W5-7-2C



LOW LEVEL BRIDGE  
W5-8A  
W5-8B  
W5-8C



DIP  
W5-9A  
W5-9B  
W5-9C



ROAD HUMP  
W5-10A  
W5-10B  
W5-10C



CREST  
W5-11A  
W5-11B  
W5-11C



STEEP DESCENT  
W5-12A  
W5-12B  
W5-12C



STEEP CLIMB  
W5-13A  
W5-13B  
W5-13C



GATE  
W5-14A  
W5-14B  
W5-14C

# WARNING SIGNS



All signs are available in CL400 [CL1] & CL1100 [CLIX] & Fluoro Yellow Green [FYG] materials



GRID  
W5-16A  
W5-16B  
W5-16C



ROAD ENDS  
W5-18A  
W5-18B  
W5-18C



GRAVEL ROAD  
W5-19A  
W5-19B  
W5-19C



SLIPPERY  
W5-20A  
W5-20B  
W5-20C



TRUCKS TURNING  
W5-205A  
W5-205B  
W5-205C



TRUCKS CROSSING OR  
ENTERING  
W5-22A  
W5-22B  
W5-22C



KANGAROOS  
W5-29A  
W5-29B  
W5-29C



AIRCRAFT  
W5-30A  
W5-30B  
W5-30C



SLOW POINT  
W5-33A  
W5-33B



MERGING TRAFFIC  
W5-34A  
W5-34B  
W5-34C  
W5-34D  
(L or R)



ADDED LANE  
W5-35C  
W5-35D  
(L or R)



FIRE STATION  
W5-36A  
W5-36B  
W5-36C



AMBULANCE STATION  
W5-37A  
W5-37B  
W5-37C



STOCK  
W5-38A  
W5-38B  
W5-38C



TRAM  
W5-41A  
W5-41B  
W5-41C



FALLING ROCKS  
W5-42A  
W5-42B  
W5-42C  
(L or R)



## WARNING SIGNS

All signs are available in CL400 [CL1] & CL1100 [CLIX] & Fluoro Yellow Green [FYG] materials



UNEVEN SURFACE



KOALAS



WOMBATS



FARM MACHINERY

W5-43A  
W5-43B  
W5-43C

W5-47A  
W5-47B  
W5-47C

W5-48A  
W5-48B  
W5-48C

W5-50A  
W5-50B  
W5-50C



DEER  
W5-51A  
W5-51B  
W5-51C



HORSE AND RIDER  
W5-53A  
W5-53B  
W5-53C



MOTORCYCLE  
W5-54A  
W5-54B  
W5-54C



CONCEALED DRIVEWAY  
W5-55-1A  
W5-55-1B  
W5-55-1C



CONCEALED DRIVEWAYS  
W5-55-2A  
W5-55-2B  
W5-55-2C



WILDLIFE  
W5-56A  
W5-56B  
W5-56C



TREES CLOSE TO ROAD  
**VIC ONLY**  
W5-V127A  
W5-V127B  
W5-V127C



PEDESTRIANS  
W6-1A  
W6-1B  
W6-1C  
Fluoro Yellow Green



PEDESTRIAN  
CROSSING AHEAD  
W6-2A  
W6-2B  
W6-2C

Fluoro Yellow Green



CHILDREN  
W6-3A  
W6-3B  
W6-3C

Fluoro Yellow Green



SCHOOL BUS  
W6-204A  
W6-204B  
W6-204C

Fluoro Yellow Green



HOSPITAL  
W6-6A  
W6-6B  
W6-6C

# WARNING SIGNS



All signs are available in CL400 [CL1] & CL1100 [CLIX] & Fluoro Yellow Green [FYG] materials



BICYCLES

W6-7A  
W6-7B  
W6-7C



ROAD AHEAD

W6-8A 300 x 300  
W6-8B 450 x 450



BICYCLES &

PEDESTRIANS  
W6-9A  
W6-9B



BICYCLE HAZARD

W6-10A 300 x 300  
W6-10B 450 x 450  
W6-10C 600 x 600



BICYCLE SLIPPERY

W6-11A 300 x 300  
W6-11B 450 x 450  
W6-11C 600 x 600



BICYCLE DESCENDING

W6-12A 300 x 300  
W6-12B 450 x 450  
W6-12C 600 x 600



BICYCLE ASCENDING

W6-13A 300 x 300  
W6-13B 450 x 450  
W6-13C 600 x 600



TRACKS

...numbers

W7-2-1A 600 x 275  
W7-2-1B 800 x 367



TRACKS

...numbers

W7-2-2 1000 x 150



TRAIN

W7-7A  
W7-7B  
W7-7C  
(L or R)



TRAIN CROSSING  
RIGHT ANGLE

W7-8A  
W7-8B  
W7-8C



TRAIN CROSSING ANGLE

W7-9A  
W7-9B  
W7-9C  
(L or R)




TRAIN CROSSING  
T-JUNCTION

W7-12A  
W7-12B  
W7-12C  
(L or R)



TRAIN CROSSING  
INTERSECTION

W7-13A  
W7-13B  
W7-13C  
(L or R)



TRAIN CROSSING

W7-14-1A 600 x 400



## WARNING SIGNS

All signs are available in CL400 [CL1] & CL1100 [CLIX] & Fluoro Yellow Green [FYG] materials




DO NOT CROSS  
W7-14-2A 600 x 400



LOOK FOR TRAINS  
W7-14-4 300 x 450



LOOK FOR TRAINS  
W7-14-5 300 x 450



DO NOT CROSS  
W7-14-6 450 x 400



RAILWAY GATE  
W7-15A  
W7-15B  
W7-15C



RAIL CROSSING  
ON T INTERSECTION  
W7-17A  
W7-17B  
W7-17C  
(L or R)



DRY WEATHER  
ROAD ONLY  
W-DWROA  
W-DWROB  
W-DWROC



W-RAISPAVA  
W-RAISPAVB  
W-RAISPAVC



ADVISORY SPEED  
...km/h  
W8-2A 600 x 400  
W8-2B 750 x 500  
W8-2C 900 x 600  
W8-2D 1200 x 800



ON SIDE ROAD  
W8-3A 600 x 400  
W8-3B 750 x 500  
W8-3C 900 x 600  
(L or R)



DISTANCE ...m  
W8-5A 600 x 200  
W8-5B 750 x 250  
W8-5C 900 x 300  
W8-5D 1200 x 400



WHEN WET  
W8-7A 600 x 400  
W8-7B 750 x 500  
W8-7C 900 x 600



WHEN FROSTY  
W8-8A 600 x 400  
W8-8B 750 x 500  
W8-8C 900 x 600



UNDER SNOW  
W8-9A 600 x 400  
W8-9B 750 x 500  
W8-9C 900 x 600



PLAYGROUND  
W8-13A 600 x 400  
W8-13B 750 x 500  
W8-13C 900 x 600  
Fluoro Yellow Green



SCHOOL  
W8-14A 600 x 200  
W8-14B 750 x 250  
W8-14C 900 x 300  
Fluoro Yellow Green

# WARNING SIGNS



All signs are available in CL400 [CL1] & CL1100 [CLIX] & Fluoro Yellow Green [FYG] materials



**MERGE**  
W8-15B 750 x 500  
W8-15C 900 x 600  
W8-15D 1200 x 800  
(L or R)



**ONE LANE**  
W8-16A 600 x 400  
W8-16B 750 x 500  
W8-16C 900 x 600



**NEXT ...km**  
W8-17-1A 600 x 400  
W8-17-1B 750 x 500  
W8-17-1C 900 x 600  
W8-17-1D 1200 x 800



**NEXT ...m**  
W8-17-2A 600 x 400  
W8-17-2B 750 x 500  
W8-17-2C 900 x 600



**AGED**  
W8-18A 600 x 200  
W8-18B 750 x 250  
W8-18C 900 x 300  
Fluoro Yellow Green



**BLIND**  
W8-19A 600 x 200  
W8-19B 750 x 250  
W8-19C 900 x 300  
Fluoro Yellow Green



**DISABLED**  
W8-20A 600 x 200  
W8-20B 750 x 250  
W8-20C 900 x 300  
Fluoro Yellow Green



**BOGGY WHEN WET**  
W8-21A 600 x 600  
W8-21B 750 x 750  
W8-21C 900 x 900



**CROSSING AHEAD**  
W8-22A 600 x 400  
W8-22B 750 x 500  
W8-22C 900 x 600  
Fluoro Yellow Green



**CROSSING ARROWS**  
W8-23A 600 x 200  
W8-23B 750 x 250



**PRESCHOOL**  
W8-24A 600 x 200  
W8-24B 750 x 250  
W8-24C 900 x 300  
Fluoro Yellow Green



**REFUGE ISLAND**  
W8-25A 600 x 400  
W8-25B 750 x 500  
W8-25C 900 x 600  
Fluoro Yellow Green



**ADDED LANE**  
W8-26A 600 x 400  
W8-26B 750 x 500  
W8-26C 900 x 600  
W8-26D 1200 x 900



**PREPARE TO STOP**  
W8-27B 750 x 375  
W8-27C 900 x 450  
W8-27D 1200 x 600



**CROSSING RAMP**  
W8-28B 750 x 500  
W8-28C 900 x 600  
W8-28D 1200 x 800



**ON BRIDGE WHEN FROSTY**  
W8-29A 600 x 750  
W8-29B 750 x 900  
W8-29C 900 x 1100



## WARNING SIGNS

All signs are available in CL400 [CL1] & CL1100 [CLIX] & Fluoro Yellow Green [FYG] materials



### CURVE TIGHTENS

W8-30A 600 x 400  
W8-30B 750 x 500  
W8-30C 900 x 600  
W8-30D 1200 x 800



### VIC ONLY

W8-V113A 600 x 480  
W8-V113B 750 x 600  
W8-V113C 900 x 720  
Fluoro Yellow Green



### VIC ONLY

W8-V115 900 x 600



W9-1A  
W9-1B  
W9-1C  
(L or R)



W9-2A  
W9-2B  
W9-2C  
(L or R)



W9-3A  
W9-3B  
W9-3C  
(L or R)



W9-4A  
W9-4B  
W9-4C  
(L or R)



SCHOOL  
QLD ONLY

TC1192A 750 x 750  
TC1192B 900 x 900  
TC1192C 1200 x 1200



CHILDREN  
QLD ONLY

TC1193A 750 x 750  
TC1193B 900 x 900  
TC1193C 1200 x 1200



SCHOOL  
SCHOOL CROSSING  
AHEAD  
QLD ONLY

TC1194A 750 x 750  
TC1194B 900 x 900  
TC1194C 1200 x 1200



WA ONLY  
MR-WDAD-2



WA ONLY  
MR-WDAD-3



WA ONLY  
MR-WDAD-5



WA ONLY  
MR-WDAD-6



WA ONLY  
MR-WDAD-7

# WARNING SIGNS



WA ONLY  
MR-WDAD-8



WA ONLY  
MR-WDAD-9



WA ONLY  
MR-WDAD-10



WA ONLY  
MR-WDAD-11



WA ONLY  
MR-WDAD-12



WA ONLY  
MR-WDAD-13



WA ONLY  
MR-WDAD-14



WA ONLY  
MR-WDAD-15



WA ONLY  
MR-WDAD-16



WA ONLY  
MR-WDAD-17



WA ONLY  
MR-WDAD-18



WA ONLY  
MR-WDAD-19



W5-73A 900 x 1200



W3-V109A 1000 x 1445



W5-V116A 1000 x 1875



RX11A 1000 x 1770

W3-V109B 1200 x 1645

W3-V109C 1500 x 1945

W5-V116B 12001 x 2201

W5-V116C 1500 x 2638

# GUIDE SIGNS S3



# GUIDE SIGNS S3

GUIDE SIGNS INFORM AND ADVISE ROAD USERS ABOUT THE ROUTE THEY ARE FOLLOWING AND GIVE DIRECTIONS AND DISTANCES TO DESTINATIONS ON THE ROUTE OR ALONG OTHER ROADS WHICH INTERSECT THE ROUTE. THEY ALSO SUPPLY INFORMATION TO IDENTIFY POINTS OF GEOGRAPHICAL OR HISTORICAL INTEREST AND GIVE DIRECTIONS TO MOTORISTS' SERVICES AND TOURIST FACILITIES AND ATTRACTIONS.

Guide signs are generally rectangular. Where practicable, they should be designed with the long axis horizontal. Exceptions to this are route markers and kilometre plates that are normally on a shield or background of distinctive shape.

The background colour of guide signs is coded to allow road users to recognize them as belonging to a particular category.

## SIGN CLASSIFICATIONS

The sub-classifications and the prefix and series number relevant to each individual guide signs are as follows:

SERIES NO.	CLASSIFICATION
<b>G1</b>	Advance direction series
<b>G2</b>	Intersection direction series
<b>G3</b>	Finger Boards
<b>G4</b>	Reassurance direction series
<b>G5</b>	Street name & pedestrian direction series
<b>G6</b>	Geographical feature series
<b>G7</b>	Service series
<b>G8</b>	Route marker series
<b>G9</b>	Traffic instruction series
<b>G10</b>	Kilometre posts
<b>G11</b>	Tourist series
<b>GE</b>	Freeway guide series
<b>Note:</b>	The prefix S is used to identify symbols for use on G7 series signs.

## These Categories are:

- a. A black legend on a white background signifies general information signs, national route markers and street name signs.
- b. A white legend on a green background is used for signs such as advance direction signs, finger boards, intersection and special direction signs, advance exit and exit direction signs on freeways, reassurance direction signs and kilometre posts.
- c. A white legend on blue background indicates roadside facilities, services and service areas (including rest and camping areas), state route markers, bicycle route markers, and bicycle and pedestrian route information and direction signs.
- d. A black legend on a yellow background is used for exit speed signs and special instruction (e.g. ONLY) panels within certain direction signs.
- e. A white legend on a red background is used for signs which indicate to a driver the need to stop or reduce speed considerably and signs indicating wrong-way movements.
- f. A white legend on a brown background is used for tourist signs and tourist route markers.



## GUIDE SIGNS

### G1 - ADVANCE DIRECTION SERIES




G1-1



G1-2



G1-3



G1-4



G1-5



G1-6

### G2 - INTERSECTION DIRECTION SERIES



G2-1



G2-2(A)



G2-2(B)



G2-4



G2-5(A)



G2-5(B)

### G3 - FINGER BOARDS



G3-3



G3-8



G3-4



G3-5



G4-1

# GUIDE SIGNS



## G6 - GEOGRAPHICAL FEATURE SERIES

**ECHUCA**

**SWAN RIVER**

CITY OF  
ALBURY

SHIRE OF  
HUME

**MOONBI RANGE**  
**914 m**

G6-1

G6-2

G6-5

G6-6

## G7 - SERVICE SERIES



G7-1-1A  
G7-1-1B



G7-1-2A  
G7-1-2B



G7-2-3A  
G7-2-3B



G7-3-4A  
G7-3-4B



G7-4-3A  
G7-4-3B  
L or R



G7-6-1A  
G7-6-1B



DNPI  
CENTRE MOUNTED



DNPB5M 500 x 750  
SIDE MOUNTED  
DOUBLE SIDED



G7-7-1A  
G7-7-1B



G7-8-2A  
G7-8-2B



G7-9-1A  
G7-9-1B



G7-10-1A  
G7-10-1B

**PARKING →**

G7-11



G7-12




G7-13-1A 400 x 400  
G7-13-1B 600 x 600



G7-14-1A  
G7-14-1B



# GUIDE SIGNS



G8 - ROUTE MARKER SERIES



G8-4-1A 310 x 200  
G8-4-1B 410 x 265

G8-4-8A 375 x 360  
G8-4-8B 500 x 480

G8-9-1 360 x 360

G8-9-2 360 x 360

G8-9-3 360 x 360



G8-9-5 2010 x 600  
L or R



G8-10-1A 750 x 600  
G8-10-1B 1000 x 800



G8-10-2 1300 x 400



G8-10-3A 950 x 1200  
G8-10-3B 1250 x 1600



G8-11-1 600 x 450




G8-11-2 600 x 300

# GUIDE SIGNS



## G9 - TRAFFIC INSTRUCTION SERIES



G9-3 1700 x 900  
(L or R)



G9-4 1700 x 900  
(L or R)



G9-5-1 1300 x 350  
(L or R)



G9-5-2 1400 x 350  
(L or R)



G9-9A 1500 x 750  
G9-9B 1800 x 900



G9-10A 900 x 900



G9-11A 900 x 1100



G9-12A 950 x 1100



G9-15A 600 x 800  
G9-15B 900 x 1200  
G9-15C 1200 x 1600






G9-16A 600 x 800  
G9-16B 900 x 1200  
G9-16C 1200 x 1600



G9-18A 600 x 400  
G9-18B 900 x 600



G9-20 900 x 550



G9-21-1 2150 x 800



G9-21-3 2150 x 1100



G9-21-2 1400 x 1400



G9-24-1A 2200 x 800  
G9-24-1B 4400 x 1600



G9-25-1A 2200 x 800  
G9-25-1B 4400 x 1600

G9-22A 200 x 1350

G9-22-1 200 x 2350  
G9-22-2 200 x 2350  
G9-22-3 200 x 2350  
(QLD - RHS ONLY)



## GUIDE SIGNS

### G9 - TRAFFIC INSTRUCTION SERIES

**RAILWAY**

G9-32 2100 x 450

**CROSSING**

G9-33 2100 x 450

**OVERTAKING  
LANE  
m AHEAD**

G9-37 2600 x 1300

**OVERTAKING  
LANE  
km AHEAD**

G9-38 2600 x 1300

**LOCAL  
TRAFFIC  
ONLY**

G9-40-1A 900 x 600

**LOOK  
FOR  
TRAINS**

G9-48A 600 x 600  
G9-48B 750 x 750  
G9-48C 900 x 900



G9-57A 900 x 800  
G9-57B 1200 x 1100



G9-58A 450 x 450  
G9-58B 600 x 600



G9-60A 450 x 600  
G9-60B 600 x 800



G9-63A 900 x 900  
(L or R)



G9-64A 750 x 600



G9-65A 600 x 1200



G9-66



G9-67-1A 600 x 600  
G9-67-1B 750 x 750



G9-67-2 600 x 1200

# GUIDE SIGNS



G9-68 400 x 300



G9-69 2300 x 1500



G9-70 1400 x 1400



G9-71 600 x 750



G9-73A(R) 900 x 900  
G9-73B(R) 1200 x 1200



G9-73AA(L) 600 x 600  
G9-73A(L) 900 x 900  
G9-73B(L) 1200 x 1200



G9-78A 600 x 200  
G9-78B 900 x 300  
G9-78C 1200 x 400



G9-79A 450 x 750  
G9-79B 600 x 1000  
G9-79C 800 x 1350



G9-80-1A 1800 x 450  
G9-80-1B 3600 x 900



G9-80-2A 1500 x 800  
G9-80-2B 3000 x 1600



G9-82 3000 x 1400



G9-84A 600 x 400  
G9-84B 900 x 600  
G9-84C 1200 x 800



G9-85A 600 x 400  
G9-85B 900 x 600  
G9-85C 1200 x 800



G9-87-1A 600 x 600  
G9-87-1B 900 x 900  
G9-87-1C 1200 x 1200



G9-87-2A 600 x 600  
G9-87-2B 900 x 900  
G9-87-2C 1200 x 1200



# GUIDE SIGNS

## G10 - KILOMETRE POSTS



G10-3A 250 x 450

## G11 - TOURIST SERIES



G11-1



G11-4  
(L or R)

## GE - FREEWAY GUIDE SERIES



GE1-6



GE1-11



GE2-1-1



GE1-13



GE1-14



GE2-3 1800 x 1600



GE7-5-3



GE7-8 200 x 350  
(L or R)



GE7-9 200 x 100



GE9-3A 2600 x 2000



GE9-15AA 450 x 300  
GE9-15A 600 x 400  
GE9-15B 750 x 500



GE9-V22-1B 1800 x 1100  
GE9-V22-1C 2400 x 1470  
GE9-V22-1D 3200 x 1960



## GS - STREET NAME SERIES

Guide signs are generally rectangular.

Australian Standard 1742-5: 1997 "Street Name and Community Facility Name Signs" requires the following:

- That "street name signs" be mounted at the "optimum height for illumination by vehicle headlights".
- They should be made using a retro-reflective material as a background which in the least meets the requirements of Class 1 material as specified.
- Where possible "Series D" letters should be used. This letter style spaced in accordance with the Standard ensures quick name recognition and facilitates traffic flow.



LEGEND	BACKGROUND					
	WHITE	YELLOW	STANDARD GREEN	BLUE	BROWN	BLACK
WHITE	-	NO (3)	YES (5)	YES (5)	NO (2,4)	NO (2,4)
YELLOW	NO (3)	-	NO (2)	NO (2,3)	NO (2,4)	NO (4)
STANDARD GREEN	YES (1)	YES (1)	-	NO (3)	NO (3)	NO (3)
BLUE	YES (1)	YES (1)	NO (3)	-	NO (3)	NO (3)
BROWN	YES (1)	YES (1)	NO (3)	NO (3)	-	NO (3)
BLACK	YES (1)	YES (6)	NO (3)	NO (3)	NO (3)	-

### Notes:

- Legend shall be non-reflective.
- Not suitable for street name. May be used for local government name or logo.
- Inadequate contrast between colours.
- Sign will not be sufficiently conspicuous.
- Background shall be reflectorised
- Use of this combination in conjunction with the NO THROUGH ROAD sign may compromise the warning impact of the colour of the latter.

Source: AS1742.5.2.7 – 1997

### ABBREVIATIONS

Arcade ARC	Drive DR	Place, Plaza PL
Avenue AV	Esplanade ESP	Promenade PRM
Boulevard BVD	Expressway EXP	Quay QY
Brace, Brae BR	Freeway FWY	Road RD
Chase CH	Gardens GDN	Square SQ
Circuit CCT	Grove GR	Street ST
Circle, Circlet, Circus CIR	Highway HWY	Terrace TCE
Close CL	Junction JNC	Walk WK
Corner CNR	Lane LA	Way (Not usually abbreviated) WY
Court CT	Parade PDE	
Crescent CR	Parkway PWY	

Source: AS1742.5.5.2.5 – 1997

Note: Some councils use abbreviations different to the above



## GUIDE SIGNS

### G5 - STREET NAME SERIES



G5-1



G5-2




G5-3



G5-4



G5-5



G5-6



G5-10

WHITE OR YELLOW  
B/GROUND



G5-11


### STREET NAME PLATES WITH LOGOS

Increasingly common is the practice of municipal councils using their logos and other branding on Street Name signs. In this circumstance logos can be screened on a reflective or non-reflective background and can be in a variety of colours.





# HAZARD MARKERS S4



HAZARD  
MARKERS S4

# HAZARD MARKERS S4

HAZARD SIGNS ARE USED TO HIGHLIGHT TO APPROACHING TRAFFIC A MARKED CHANGE IN THE DIRECTION OF TRAVEL AND THE PRESENCE AND WIDTH OF AN OBSTRUCTION.

Guide signs are generally rectangular. Hazard signs are rectangular and generally consist of a series of alternate black and white bands. The white portion is always reflectorized, but the reflective material may cover only the central portion of each white band to achieve a balance between the areas of black and white under headlight illumination. The bands may consist of either diagonal strips where only a target is required, or of chevrons where directional, as well as target, properties are desirable.

Typically, there are 4 types of hazard marker:

- a. Uni-directional Hazard Marker – used to guide approaching traffic to the direction indicated by the chevrons i.e. to the left or right as required.
- b. Bi-directional Hazard Marker – used to delineate the nose of an island or other obstruction where traffic may pass the obstruction on either side.
- c. Width Marker – normally erected in pairs, one on either side of a vertical obstruction facing in the direction of traffic flow.
- d. Obstruction Marker – used to delineate obstructions such as road closures or obstructions above the road.



# HAZARD MARKERS

## LEGEND

### UNI-DIRECTIONAL HAZARD MARKER

Used to guide approaching traffic to the direction indicated by the chevrons i.e. to the left or right as required.



### BI-DIRECTIONAL HAZARD MARKER

Used to delineate the nose of an island or other obstruction where traffic may pass the obstruction on either side.



### WIDTH MARKER

Normally erected in pairs, one or either side of a vertical obstruction facing in the direction of traffic flow.



### OBSTRUCTION MARKERS

Used to delineate obstructions such as road closures or obstructions above the road.



## HAZARD MARKERS



### UNI-DIRECTIONAL HAZARD MARKER

D4-1-1A 1200 x 300  
D4-1-1A 1600 x 400  
D4-1-1B 3200 x 800



### UNI-DIRECTIONAL HAZARD MARKER

D4-1-2A 450 x 450  
D4-1-2B 600 x 600



### BI-DIRECTIONAL HAZARD MARKER

**VIC ONLY**  
D4-V103 1800 x 600  
D4-V108 1000 x 500



### UNI-DIRECTIONAL HAZARD MARKER

D4-1-3C 1800 x 300

**VIC ONLY**

D4-V102 1800 x 600



### BI-DIRECTIONAL HAZARD MARKER

D4-2-1C 1800 x 300



### BI-DIRECTIONAL HAZARD MARKER

D4-2-2A 300 x 750  
D4-2-2B 400 x 1000

# HAZARD MARKERS



BI-DIRECTIONAL  
HAZARD MARKER

D4-2-3AA 1200 x 300  
D4-2-3A 1600 x 400  
D4-2-3B 3200 x 800



WIDTH MARKER  
(L or R)

D4-3A 225 x 450  
D4-3B 450 x 900



OBSTRUCTION  
MARKER

D4-5-1 1800 x 400



OBSTRUCTION  
MARKER

D4-5-2 1800 x 400



CHEVRON  
ALIGNMENT MARKER

D4-6A 600 x 750  
D4-6B 750 x 900  
D4-6C 900 x 1125



CHEVRON MARKER & SPEED

D4-7A 1400 x 750  
D4-7B 1680 x 900  
D4-7C 2100 x 1125  
(L or R)



WIDTH MARKER  
VIC ONLY

D4-V105A 450 x 300  
D4-V105B 600 x 400



WA ONLY  
MR-HM1 2400 x 400



WA ONLY  
MR-HM3 2400 x 400



WA ONLY  
MR-HM4 2400 x 400



WA ONLY  
MR-HM2 2400 x 400



WA ONLY  
MR-HM5 2400 x 400



NSW ONLY  
G9-257 700 x 390  
(L or R)  
(Self Adhesive)



WA ONLY  
MR-HM6 2400 x 400



## HAZARD MARKERS



WA ONLY

MR-HM7 2400 x 400



WA ONLY

MR-HM8 4800 x 800



WA ONLY

MR-HM9 4800 x 800



WA ONLY

MR-HM10 4800 x 800



WA ONLY

MR-HM11 230 x 230



WA ONLY

MR-HM12 450 x 600

QLD ONLY

D4-2-2-Q01A 450 x 600

D4-2-2-Q01B 900 x 1200



WA ONLY


MR-HM16A 360 x 1300

MR-HM16B 480 x 1340

MR-HM16C 600 x 1460



# TEMPORARY ROADWORK SIGNS S5



TEMPORARY  
ROADWORK SIGNS S5

# TEMPORARY ROADWORK SIGNS S5

TEMPORARY SIGNS ARE MOSTLY USED FOR WORKS ON ROADS AND FOOTPATHS TO WARN USERS OF TEMPORARY HAZARDOUS CONDITIONS WHICH COULD ENDANGER THEMSELVES OR THOSE WORKING ON THE ROAD. THEY ALSO INDICATE THE TRAVEL PATH THROUGH, AROUND OR PAST WORK SITES, AND IN THIS WAY, CONTRIBUTE TOWARDS THE PROTECTION OF PARTIALLY COMPLETED WORKS FROM DAMAGE.

Guide signs are generally rectangular. Other signs in this classification are used to warn of temporary hazardous conditions which are not related to road works, e.g. sign T1-11, TRAFFIC ACCIDENT AHEAD.

Temporary signs are generally rectangular with the long axis horizontal for ease of mounting.

The colour codings used for temporary signs are as follows:

- a. General temporary signs – a yellow retro-reflective background, black border and symbol or legend.
- b. Signs warning of workers – a combination of fluorescent/reflective red or orange background, black symbol and border.
- c. Signs warning of blasting operations – red background, white legend.

## SIGN CLASSIFICATIONS

The sub-classifications and the prefix and series number relevant to each individual temporary roadwork signs are as follows:

SERIES No.	CLASSIFICATION
T1	Advance series
T2	Position series
T3	Road condition series
T4	Special hazard series
T5	Traffic diversion series
T6	Vehicle mounted series
T7	Hand banner series
T8	Pedestrian series



## TEMPORARY ROADWORK SIGNS

All signs are available in CL400 [CL1] & CL1100 [CLIX] materials



T1-1A 1800 x 600  
T1-1B 2400 x 900



T1-2A 1800 x 600



T1-3-1A 900 x 600



T1-3-2A 1800 x 600



T1-4A 900 x 600



T1-5A 900 x 600  
T1-5B 1200 x 900  
Fluoro Orange



T1-6A 1200 x 600  
T1-6B 1800 x 900



T1-10A 1200 x 600



T1-15A 1500 x 600



T1-16A 1800 x 600  
T1-16B 2400 x 900



T1-18A 900 x 600  
T1-18B 1200 x 900



T1-19A 900 x 600  
T1-19B 1200 x 900



T1-21A 1800 x 600



T1-22A 1200 x 600



T1-23A 1800 x 900

# TEMPORARY ROADWORK SIGNS



All signs are available in CL400 [CL1] & CL1100 [CLIX] materials



T1-24A 1800 x 600  
T1-24B 2400 x 900



T1-25A 1800 x 600



T1-27 1800 x 600



T1-28A 600 x 600  
T1-28B 900 x 900



T1-29A 1800 x 600



T1-30A 900 x 600



T1-31 900 x 1200



T1-32 1500 x 600



T1-33 1800 x 600



T1-34A 900 x 600

T1-34B 1200 x 900

Fluoro Orange



T1-35A 900 x 600  
T1-35B 1200 x 900



T2-4A 1800 x 300



T2-5A 1500 x 600



T2-6-1TOPBMAG  
400 x 300



T2-6-MAGARR

400 x 610

(Available in various  
arrow combinations)



T2-6-1A 1200 x 900

T2-6-1B 1800 x 1200



T2-6-2A 1800 x 900

T2-6-2B 2400 x 1200



## TEMPORARY ROADWORK SIGNS


All signs are available in CL400 [CL1] & CL1100 [CLIX] materials



T2-13A 900 x 600  
T2-13B 1200 x 900



T2-16A 1800 x 600



T2-17A 900 x 1200



T2-23A 1200 x 600



T2-24A 900 x 600



T2-25 900 x 600



T3-3A 900 x 600  
T3-3B 1500 x 900



T3-6A 900 x 600



T3-7A 900 x 600  
T3-7B 1500 x 900



T3-9A 900 x 600  
T3-9B 1500 x 900



T3-11 1500 x 900



T3-12A 1500 x 900



T3-13A 900 x 600



T3-14A 900 x 600  
T3-14B 1500 x 900



T3-15 600 X 450

# TEMPORARY ROADWORK SIGNS



All signs are available in CL400 [CL1] & CL1100 [CL1X] materials



TRI-V5 750 x 900  
Box Edge



TRI-V6 900 x 900  
Box Edge



T4-5 1800 x 900



T4-6A 900 x 600  
T4-6B 1200 x 900  
Fluoro Yellow



T5-1(L) 1200 x 300  
T5-1(L) 1800 x 450



T5-4 1500 x 450



T5-6 600 x 600  
(L or R)



T8-1 900 x 600



T5-1(R) 1200 x 300  
T5-1(R) 1800 x 450




T5-5 600 x 600  
(Flat or Box)



T8-2(L) 1200 x 300  
T8-2(R) 1200 x 300



T5-1A 1200 x 300  
T5-1B 1800 x 450



T8-4 900 x 600



T8-5 900 x 600



TAS ONLY

TASERW 1200 x 600  
(Box edge or Quad Sign Magnetic Speed overlays available).



STOP/SLOW BATS

SSB450 450

SSB600 600

(CL400, & CL1100)

EXTHAN - Alum. Extendable Handle  
WOODH - Wooden Handle



BAT-H - CL400

BAT-FR - Fluoro Orange 450mm Dia.

BCOV450 - Bat Cover 450mm Dia.

BCOV600 - Bat Cover 600mm Dia.



QLD ONLY

TI-Q05A 900 x 1000

TI-Q05B 1200 x 900

TI-Q05C 900 x 600



## TEMPORARY ROADWORK SIGNS

### CORFLUTES & MULTI MESSAGE SIGNS

The multi-message sign system regulates speed limits on work sites with minimal light weight signs that are more conspicuous because of their striking colour combinations.

The new Australian Standard AS1742.3:2002 requires that retro-reflective material be used on signs for roadworks. It must meet at least the requirements of Class 1. Signs warning of works personnel shall have a combination fluorescent reflective red or orange background.

Please note that Corflute and Multi Message Signs are not used in the Northern Territory or NSW.



RM4-1-24H 600 x 600  
QLD ONLY - TC1217



RM4-1-50KH 600 x 600  
QLD ONLY - TC1217



RM4-1-25H 600 x 600  
QLD ONLY - TC1217



RM4-1-55H 600 x 600  
QLD ONLY - TC1217



RM4-1-26H 600 x 600  
QLD ONLY - TC1217



RM4-1-57H 600 x 600  
QLD ONLY - TC1217



RM4-1-39H 600 x 600  
QLD ONLY - TC1217



RM4-1-110H 600 x 600  
QLD ONLY - TC1217



TM-27H 600 x 600



TM-6X6HY 600 x 600



TM-12X3HY 1200 x 300



TM-12X6HY 1200 x 600

# TEMPORARY ROADWORK SIGNS



TM1-1A 600 x 600

TM1-1B 1200 x 300

TM1-1C 1200 x 600

**QLD ONLY - TC1169**



TM1-2A 600 x 600

TM1-2C 1200 x 600



TM1-3-1A 600 x 600

TM1-3-1C 1200 x 600



TM1-4A 600 x 600

TM1-4C 1200 x 600



TM1-5A 600 x 600

TM1-5C 1200 x 600

**QLD ONLY - TC1322**

Fluoro Orange



TM1-6A 600 x 600

TM1-6B 1200 x 300



TM1-10A 600 x 600


TM1-10C 1200 x 600



TM1-18A 600 x 600

TM1-18B 1200 x 300

**QLD ONLY - TC1362**



TM1-25C 1200 x 600



TM1-27C 1200 x 600



TM1-28A 600 x 600

TM1-28B 1200 x 300



TM1-30A 600 x 600



TM1-32A 600 x 600



TM1-34A 600 x 600

Fluoro Orange



TM1-35C 1200 x 600



## TEMPORARY ROADWORK SIGNS



TM1-36B 1200x300



TM1-38A 600 x 600



TM1-39A 600 x 600



TM1-40A 600 x 600



TM1-41A 600 x 600



TM1-42A 600 x 600



TM1-43A 600 x 600



TM1-44A 600 x 600

TM1-43C 1200 x 600



TM1-45A 600 x 600

TM1-45C 1200 x 600



TM1-46A 600 x 600



TM1-47A 600 x 600



TM1-49A 600 x 600



TM1-51B 1200 X 300



TM2-4A 600 x 600

TM2-4B 1200 x 300

TM2-4C 1200 x 600



TM2-17A 600 x 600

TM2-17C 1200 x 600

QLD ONLY - TC1170



TM2-23A 600 x 600

TM2-23C 1200 x 600

# TEMPORARY ROADWORK SIGNS



TM2-24A 600 x 600



TM2-25A 600 x 600



TM2-26A 600 x 600  
TM2-26B 1200 x 300  
TM2-26C 1200 x 600



TM2-27A 600 x 600  
TM2-27B 1200 x 300  
TM2-27C 1200 x 600



TM2-28A 600 x 600



TM2-30B 1200x300



TM2-32A 600 x 600  
TM2-32B 1200 x 300



TM2-33A 600 x 600  
TM2-33B 1200 x 300



TM2-36A 600 x 600  
TM2-36C 1200 x 600



TM2-37A 600 x 600  
TM2-37C 1200 x 600



TM2-38A 600 x 600  
TM2-38B 1200 x 300



TM2-39A 600 x 600  
TM2-39B 1200 x 300



TM2-40A 600 x 600  
TM2-40B 1200 x 300



TM2-41A 600 x 600



TM2-42A 600 x 600



TM2-43A 600 x 600



## TEMPORARY ROADWORK SIGNS



TM2-44A 600 x 600



TM2-48A 600 x 600



TM2-49A 600 x 600



TM2-50A 600 x 600



TM2-51A 600 x 600



TM2-52A 600 x 600



TM3-3A 600 x 600

QLD ONLY - TC1218



TM3-6A 600 x 600

TM3-6B 1200 x 300



TM3-7A 600 x 600

TM3-7B 1200 x 300



TM3-9A 600 x 600

QLD ONLY - TC1219




TM3-13A 600 x 600

TM3-13B 1200 x 300



TM3-14A 600 x 600

TM3-14B 1200 x 300



TM3-16-1A 600 x 600



TM3-17A 600 x 600

QLD ONLY - TC1172



TM3-18A 600 x 600

TM3-18B 1200 x 300



TM3-21A 600 x 600

# TEMPORARY ROADWORK SIGNS



TM3-24A 600 x 600



TM4-6A 600 x 600  
TM4-6B 1200 x 300



TM4-9A 600 x 600  
TM4-9B 1200 x 300



TM5-1B(L) 1200 x 300



TM5-1B(R) 1200 x 300



TM5-6A 600 x 600



TM5-7A 600 x 600  
TM5-7B 1200 x 300



TM5-9A 600 x 600  
TM5-9B 1200 x 300



TM5-1B(S) 1200 x 300



TM8-3A 600 x 600




TM8-4A 600 x 600



TM-44H 600 x 600



TM8-1C 1200 x 600



TM8-6A 600 x 600



TM8-7A 600 x 600



TM8-8A 600 x 600



TM8-5C 1200 x 600



## TEMPORARY ROADWORK SIGNS



TM8-9A 600 x 600



TM8-10A 600 x 600



TM8-11A 600 x 600



TM8-12A 600 x 600



TM8-13A 600 x 600  
TM8-13B 1200 x 300



TM8-14A 600 x 600  
TM8-14B 1200 x 300



TM8-16A 600 x 600



TM8-17A 600 x 600



TM8-18A 600 x 600



TM9-1A 600 x 600  
TM9-1B 1200 x 300  
Fluoro Yellow Green



TM9-2A 600 x 600  
TM9-2B 1200 x 300  
Fluoro Yellow Green



TM9-3A 600 x 600  
TM9-3B 1200 x 300  
Fluoro Yellow Green



TM9-7A 600 x 600  
Fluoro Yellow Green



TM9-8A 600 x 600  
Fluoro Yellow Green



TM10-1A 600 x 600



TM10-2A 600 x 600

# TEMPORARY ROADWORK SIGNS



TM10-3A 600 x 600



TM10-4A 600 x 600



TM10-5A 600 x 600



TM10-6A 600 x 600



TM10-7A 600 x 600



TM10-8A 600 x 600



TM10-11A 600 x 600



TM10-12A 600 x 600



TM10-13A 600 x 600



TM10-14A 600 x 600



TM10-15A 600 x 600



TM10-16A 600 x 600



TM-43H 600 x 600



TM-SDH 600 x 600



TM-PRCH 600 x 600



RM2-4A 600 x 600



## TEMPORARY ROADWORK SIGNS



RM2-6A (L) 600 x 600



RM2-6A (R) 600 x 600



RM2-14A(L) 600 x 600  
RM2-14A(R) 600 x 600



RM4-12D 600 x 900



RM6-1C 1200 x 600



RM6-6C 1200 x 600



WM3-2A 600 x 600



GM9-40-2A 600 x 600



GM9-58A 600 x 600



GM9-89C 1200 x 600



GM9-V79D-40  
600 x 900



GM9-V79D-60  
600 x 900



GM9-V79D-80  
600 x 900



GM9-90B 1200 x 300  
QLD ONLY - TC1174



GM9-91B 1200 x 300



GM9-92B 1200 x 300

# TEMPORARY ROADWORK SIGNS



**ROADWORK AHEAD**

TM1-1B 1200 x 300

**DETOUR AHEAD**

TM1-6B 1200 x 300

**PREPARE TO STOP**

TM1-18B 1200 x 300

**QLD ONLY - TC1362**

**NEXT [2] km**

TM1-36B 1200 x 300

**ROAD CLOSED**

TM2-4B 1200 x 300

**ROADWORK**

TM2-26B 1200 x 300

**BRIDGEWORK**

TM2-27B 1200 x 300

**TRENCHING WORKS**

TM2-29B 1200 x 300

**LITTER COLLECTION**

TM2-31B 1200 x 300

**UTILITY REPAIRS**

TM2-32B 1200 x 300

**EMERGENCY WORKS**

TM2-33B 1200 x 300

**ON RAMP**

TM2-38B 1200 x 300

**MERGE LEFT**

TM2-39B 1200 x 300

**MERGE RIGHT**

TM2-40B 1200 x 300

**SOFT EDGES**

TM3-6B 1200 x 300

**ROUGH SURFACE**

TM3-7B 1200 x 300

**GRAVEL ROAD**

TM3-13B 1200 x 300

**LOOSE SURFACE**

TM3-14B 1200 x 300

**LINE MARKING**

TM3-18B 1200 x 300

**LOOSE STONES**

TM3-19B 1200 x 300

**DUE TO FLOODING**

TM3-22B 1200 x 300



## TEMPORARY ROADWORK SIGNS

### FALLEN ROCKS

TM3-23B 1200 x 300

### SMOKE HAZARD

TM4-6B 1200 x 300

### BUSH FIRE

TM4-9B 1200 x 300

### DETOUR

TM5-7B 1200 x 300



### ON SIDE ROAD

TM5-9B 1200 x 300

QLD ONLY - TC1325

### ON SIDE ROAD

TM5-10B(L) 1200 x 300

### ON SIDE ROAD

TM5-10B (R) 1200 x 300

### PEDESTRIANS

TM8-2B(L) 1200 x 300

### PEDESTRIANS

TM8-2B(R) 1200 x 300

### PEDESTRIAN HAZARD

TM8-13B 1200 x 300

### CYCLING HAZARD

TM8-14B 1200 x 300

### EVENT AHEAD

TM9-1B 1200 x 300  
Fluoro Yellow Green

### END EVENT

TM9-2B 1200 x 300  
Fluoro Yellow Green

### EVENT IN PROGRESS

TM9-3B 1200 x 300  
Fluoro Yellow Green

### EVENT ON SIDE ROAD

TM9-4B 1200 x 300  
Fluoro Yellow Green

### EVENT ON SIDE OF ROAD

TM9-4C 1200 x 600  
Fluoro Yellow Green

### ON SIDE ROAD

TM9-5B(L) 1200 x 300  
Fluoro Yellow Green

### ON SIDE ROAD

TM9-5B(R) 1200 x 300  
Fluoro Yellow Green

### DRIVE SAFELY

TM-18H 1200 x 300  
QLD ONLY - TC1177

### REDUCE SPEED

TM-REDUCESP 1200 x 300

# TEMPORARY ROADWORK SIGNS



## STANDS



QUADRUPED STAND ONLY  
QST6x6 600 x 600  
QST9x6 900 x 600  
QST12x9 1200 x 900



WLM STAND  
WLM600 600 x 600  
WLM900 900 x 600  
STAND ONLY




AD BASE BOARD  
ADBTI-5FR 600 x 900  
ADBASE  
BASE ONLY

QUADRUPED SIGN ONLY  
QST1-5AALFR9x6 900 x 600



QUAD STAND  
QST12X6 - 1200 x 600  
TAS ONLY



BI-POD-SOLID  
BIPODS  
1200mm (Spread)



BIPOD-Y-HOLLOW  
BIPODSY-YELL



BI-POD-HOLLOW  
BIPOD-QLD  
1200mm (Spread)




MULTI MESSAGE  
SIGN FRAME  
MMSF  
FRAME ONLY



MULTI MESSAGE  
FRAME ONLY  
MMSF-6X9  
600 x 900 x 2



FOLDING BI-POD  
MMBL



STAR PICKET & DRIVER  
STARPICKET  
STARPICKETDRIVE



COLLAPSIBLE CHEVRON  
DELINERATOR  
T5-Q02 250 x 1200

# TRANSPORT SIGNS S6



TRANSPORT  
SIGNS S6



# TRANSPORT SIGNS S6




TRANSPORT  
SIGNS S6



# TRANSPORT SIGNS

## HEAVY VEHICLE MARKER PLATES

AS 4001.2: CL400 on Aluminium or Pressure Sensitive Decal



33  
33PS (DECAL)  
300 x 300  
(Rotate 90° for Right Hand)



34A  
34APS (DECAL)  
300 x 400



34B  
34BPS (DECAL)  
300 x 400



31L  
300 x 100



33L  
300 x 300



41A  
400 x 100



41B  
400 x 100



615A-L  
600 x 150



615B-R  
600 x 150



161  
161PS  
1600 x 100



81A-LEFT  
81APS-LEFT  
800 x 100



81B-RIGHT  
81BPS-RIGHT  
800 x 100



81C-DOUBLE 800 x 100

# TRANSPORT SIGNS



## HAZARDOUS GOODS SIGNS



EXP1M250 STEEL

250 x 250

EXP1P250 DECAL

250 x 250



EXP14M250 STEEL

250 x 250

EXP14P250 DECAL

250 x 250



EXP15M250 STEEL

250 x 250

EXP15P250 DECAL

250 x 250



EXP16M250 STEEL

250 x 250

EXP16P250 DECAL

250 x 250



FS4M250 STEEL

250 x 250

FS4P250 STEEL

250 x 250



FG2M250 STEEL

250 x 250

FG2P250 DECAL

250 x 250



F3M250 STEEL

250 x 250

F3P250 DECAL

250 x 250



FC4M250 STEEL

250 x 250

FC4P250 DECAL

250 x 250



NFNTGM250 STEEL

250 x 250

NFNTGP250 DECAL

250 x 250



DGM250 STEEL

250 x 250

DGP250 DECAL

250 x 250



C8M250 STEEL

250 x 250

C8P250 DECAL

250 x 250



DWWM250 STEEL

250 x 250

DWWP250 DECAL

250 x 250



OA5M250 STEEL

250 x 250

OA5P250 DECAL

250 x 250



OA5M250 STEEL

250 x 250

OA5P250 DECAL

250 x 250



OP5M250 STEEL

250 x 250

OP5P250 DECAL

250 x 250



R7M250 STEEL

250 x 250

R7P250 DECAL

250 x 250



IS6M250 STEEL

250 x 250

IS6P250 DECAL

250 x 250



T6M250 STEEL

250 x 250

T6P250 DECAL

250 x 250



TGM250 STEEL

250 x 250

TGP250 DECAL

250 x 250



MDGM250 STEEL

250 x 250

MDGP250 DECAL

250 x 250




# TRANSPORT SIGNS



HAZCHEM6X3 600 x 300



HAZ 600 x 120



HAZ-2WE 600 x 150



Sample Layout  
TANK 800 X 400  
TRUCK 800 X 600

## DANGEROUS GOODS FLIP OVER KIT



FLIPOVERKIT  
350



- EXPLOSIVE \*1
- FLAMMABLE SOLID 4
- FLAMMABLE GAS 2
- FLAMMABLE LIQUID 3
- SPONTANEOUSLY COMBUSTIBLE
- NON-FLAMMABLE GAS 2
- DANGEROUS GOODS
- CORROSIVE 8
- DANGEROUS WHEN WET
- MISCELLANEOUS DANGEROUS GOODS
- TOXIC GAS 2
- TOXIC 6
- OXIDISING AGENT 5.1
- ORGANIC PEROXIDE 5.2

## CLASS LABEL HOLDER



MHOLD250  
250 x 250



## CLASS LABEL HOLDER



MHOLD510  
510 x 250

OTHER SIZES AVAILABLE UPON REQUEST

## EFLARE WARNING BEACON



## EFLARE RUBBER BASE



## SAFETY BATON TWAND



## COLLAPSIBLE CONES

WITH BUILT IN LIGHT  
FLASHING OR STEADY





## CLASSIFICATION

A full range of oversize plates are available to meet the Australian Transport Commission Regulations

## OPTIONS

- Aluminium Plates
- Pressure Sensitive Decals
- Fabric Banners with Eyelets
- Double Sided Plates
- Two Piece Plates
- Hinged Plates
- Two Piece Hinged
- Multiple Hinged Plates

**RETRO-REFLECTIVE SIGNS:** HINGED, STEEL, ALUMINIUM, PRESSURE SENSITIVE, PVC, BANNER CL100 & CL400



OSZSS STEEL  
1200 X 450 (Single/Sided)  
OSALS ALUM  
1200 X 450 (Single/Sided)  
OSALSHI  
1200 X 450 (Single/Sided)  
Hi-Intensity



OSALD ALUM  
1200 X 450 (Double Sided)



OSFACES  
1200 X 450 (Reflective Decal)



OSBR FABRIC BANNER  
1200 X 450 (Reflective)



OSALS-VERHINGED  
1200 X 450  
(Alum. Vert. Hinged)



OSALS-HINGED  
1200 X 450  
(Alum. Horizontal Hinged)



OS-2PIECE-AL-HI  
1200 X 450  
(in 2 pieces Over and Size)



OSLAALD ALUM  
1200 X 600 (Double Sided)  
OSLAZSD STEEL  
1200 X 600 (Double Sided)



OSAALS ALUM  
1200 X 600 (Single Sided)



OSLABR BANNER  
1200 X 600 (Reflective)

**DO NOT OVERTAKE TURNING VEHICLE**

1800 DECAL  
1675 X 75  
Also Available 1225 X 70

**ALL THE ABOVE SIGNS  
ARE AVAILABLE IN OTHER SIZES UPON REQUEST**



## TRANSPORT SIGNS



LONGVBN  
1200 X 300 (Fabric Banner)



LONGVHH  
1200 X 300 (Single Sided)  
(Alum. Horizontal Hinged)



RTLV12X3  
1200 X 300 - 1 PIECE (Alum. Horizontal Hinged)  
LONG VEHICLE & ROAD TRAIN



510 X 250 - 2 PIECES (Alum. Horizontal Hinged)  
ROAD TRAIN & LONG VEHICLE



RTI2250AL ALUM  
1200 X 250 (Single Sided)



RTI2250ALVH  
1200 X 250  
(Alum. Vertical Hinged)



LONGVHCL12X3  
1200 X 300 (Alum. Vert. Hinged)



LONGVEH60X25  
600 X 245 (Alum. in 2 pieces Long and Vehicle)  
LONGVEH6X3  
600 X 300 (Alum. in 2 pieces Long and Vehicle)



LONGVHCL  
1200 X 300 (Alum.)



510 X 250 - 2 PIECES (Alum. Horizontal Hinged)  
LONG VEHICLE & ROAD TRAIN



RTI2250 BANNER  
1200 X 250



RTI2250ALHH  
1200 X 250  
(Alum. Horizontal Hinged)



RTI2250AL-1  
600 X 250  
(Alum. Road Only)

RTI2250AL-2  
600 X 250  
(Alum. Train Only)

RT510250-1PS  
510 X 250  
(Decal Road Only)

RT510250-2PS  
510 X 250  
(Decal Train Only)

RT510250-1  
510 X 250  
(Alum. Road Only)

RT510250-2  
510 X 250  
(Alum. Train Only)

ALL THE ABOVE SIGNS  
ARE AVAILABLE IN OTHER SIZES UPON REQUEST

ALSO AVAILABLE AS A KIT  
RT510250KIT

# TRANSPORT SIGNS



FIRE SAFETY SIGNS CORFLUTE, ALUMINIUM, STEEL, POLYPROPYLENE, SELF-ADHESIVE

FULL RANGE AVAILABLE UPON REQUEST



FIRE-262

(A) 300 X 450  
(B) 450 X 600



FIRE-263

(A) 300 X 450  
(B) 450 X 600



FIRE-264

(A) 300 X 450  
(B) 450 X 600



FIRE-265

(A) 300 X 450  
(B) 450 X 600



FIRE-266

(A) 300 X 450  
(B) 450 X 600



FIRE-280  
(A) 200



FIRE-281  
(A) 200



FIRE-282  
(A) 200



FIRE-283  
(A) 200



FIRE-284  
(A) 200



FIRE-285  
(A) 200

## CONSPICUITY & FLEET TAPES

Reflective contour markings on trucks make detection easy, giving drivers time to see a vehicle, react and avoid a collision.



### V-6700B - Rigid Surfaces

Available in the European and Asia-Pacific markets only, V-6700B tape is ECE Certified for contour marking, meeting the stringent requirements of the ECE 104, Class C regulation. Designed for use on trucks and trailers with rigid surfaces, V-6700B provides superior reflectivity and enhanced night-time safety. It is a high quality, durable, microprismatic retroreflective material with a pressure sensitive adhesive and a single layer construction that does not require edge sealing.



### V-6790 - Flexible Surfaces

Another product available in the European and Asia-Pacific markets only, V-6790 tape is also ECE Certified for contour marking, meeting the stringent requirements of the ECE 104, Class C regulation. It provides the same superior nighttime visibility performance as the V-6700B tape, but is designed for use on trucks and trailers with flexible surfaces.

## PRODUCT SPECIFICATION

PRODUCT	DURABILITY	APPLICATION	SPECIFICATIONS	APPROVAL MARK	SIZE	COLOURS		
						WHITE	YELLOW	RED
V-6700B	8 YEARS	RIGID SURFACES TRUCKS/TRAILERS	ECE 104, CLASS C	104R 000001	50mm X 50mtr	✓	✓	✓
V-6790	3 YEARS	FLEXIBLE SURFACES TRUCKS/TRAILERS	ECE 104, CLASS C	104R 000002	50mm X 50mtr	✓	✓	✓



# WORK ZONE PRODUCTS S7



WORK ZONE  
PRODUCTS S7

# WORK ZONE PRODUCTS S7





## WORK ZONE PRODUCTS

### HARD CONES

PRODUCT	SIZE	CONE TYPE	AVAILABLE IN YELLOW/WHITE	PRODUCT CODE
TRAFFIC CONE 300	300mm	Plain With Class 1 Collar	X	300 300HCS
TRAFFIC CONE 450	450mm	Plain With Class 1 Collar	X	450 450HCS
TRAFFIC CONE 700	700mm	Plain With Class 1 Collar	X	700 700HCS
TRAFFIC CONE 900	900mm	Plain With Class 1 Collar	X	900 900HCS

# WORK ZONE PRODUCTS



## HARD CONES

PRODUCT	SIZE	CONE TYPE	AVAILABLE IN YELLOW/WHITE	PRODUCT CODE
STACKABLE T-TOP BOLLARD	1m Stem	Class 1 Reflective Band 8kg base		TTOPSTEMAS TTOPBASE8
HBAS BOLLARD	1M Stem	Class 1 Reflective Band 8kg Base		HBASSTEM HBBASE8

## WHEEL STOP & SPEED HUMPS



WHEEL STOP  
WSR-1650BY



**SPEED HUMP**  
**SHRB - BLACK SECTION**  
250 x 350 x 50  
**SHRY - YELLOW SECTION**  
250 x 350 x 50  
**SHREND-B - BLACK END CAP**  
175 x 350 x 50  
**SHREND-Y - YELLOW END CAP**  
175 x 350 x 50

## SAFETY PRODUCTS



VIC ROADREFLECTIVE VEST  
VRSV

## LIGHTS



**FLASHING LAMPS & BATTERIES**  
(Sold Separately)  
**FLASHING LAMP - FA**  
**BATTERY - BATT**



## WORK ZONE PRODUCTS

### BARRIERS/SAFETY FENCING & TAPES



BUNTING  
BUNTF30



FLUORESCENT FLAG  
FFL - 400 x 400  
FFL 300 - 300 x 300



NIGHT LINE  
NL23HN



STANDARD BARRIER  
PBBH



RED/WHITE  
BLACK/YELLOW BARRIER TAPE  
RWBT100 - Red/White  
BYBT75-100 - Black/Yellow  
100m Rolls



STANDARD DENEFE WEBBING  
DNWEB50T - 5KG  
DNWEB50HD - 9KG



WEBBING  
BNET50N

### DELINEATORS & ACCESSORIES



CORNER CUBE DELINEATOR  
ACC - Amber  
WCC - White/Clear  
GCC - Green  
RCC - Red  
BCC - Blue



GD3 DELINEATOR  
GD3



GD4 DELINEATOR  
GD4

# WORK ZONE PRODUCTS



## DELINEATORS & ACCESSORIES



**CH3 Delineator**  
CH3



**RD3 Delineator**  
RD3



**CL1100 DECAL**  
DEL - 50 x 200-3990 (White)  
DEL - 50 x 200-3992 (Red)  
(Pressure Sensitive)



**STAR PICKET COVER**  
STARCOVYCAP  
(Yellow Cap)



**TEMPORARY REFLECTIVE  
ROAD FLAP**  
TRF - White  
TRFR - Red  
TRFY - Yellow



**HAND GUN FOR 600MM  
TWIN PACK MEGAPOXY**  
AHG - Gun



**A & B MEGAPOXY 36**  
MEGATT - 600grams



**A & B MEGAPOXY**  
MEGA4L - 4 Litre Mega 4L



**PLASTIC LINE-O-DOT**  
LINODOTWHITE



**1 WAY REFLECTIVE  
PAVEMENT MARKERS**  
80B SERIES - Standard



**2 WAY REFLECTIVE  
PAVEMENT MARKERS**  
80A SERIES - Standard



**SPOT PAINT - 350grams**  
WSPAIN - White  
BLSPAIN - Blue  
PSPAIN - Pink  
YSPAIN - Yellow  
BSPAIN - Black



## WORK ZONE PRODUCTS



LINEMARKING PAINT CANS  
(500gm) 12 PER BOX

WTPAINT - White  
YTPAINT - Yellow  
GTPAINT - Green  
BTPAINT - Black



LINEMARKING MACHINE  
LMMACH



BLOCKS OF BITUMEN  
ADHESIVE  
BIT-6.25KG BLOCK  
BITACT-1KG BLOCK



AMP BITUMINOUS PAD  
6903AMP



CRAK-BAK DELINEATOR

RHCB - 50 x 100  
WHCB - 50 x 100



**NSW ONLY**  
PEDESTRIAN BOLLARD  
REFBOL1 - 600 x 400



**NSW ONLY**  
RUMBLE BARS  
RUMBLEBARWHI - White  
RUMBLEBARYEL - Yellow



TRAFFIC WAND  
TWAND

### GUIDE POSTS AND DRIVERS



STEEL

STEELGP  
STEELGPDRIVER - Driver




FLEXIBLE

PVCPOST - 1400 x 100 x 4  
PVCPOSTDRIVER - Driver



RECYCLED

RECPGPDRIVER - Driver





# SIGN ACCESSORIES S8



# SIGN ACCESSORIES S8



S8 SIGN  
ACCESSORIES



## BRACKETS


### UNBRACED SIGNS



**TD1**  
Single Sided  
60mm OD  
**TD1**  
(Hex Head Bolt)  
**TD3**  
(Anti-Vandal Bolt)



**TD2**  
Double Sided  
60mm OD  
**TD2**  
(Hex Head Bolt)  
**TD4**  
(Anti-Vandal Bolt)



**FRISBEE**  
2 piece  
Single/Double  
Sided  
**TD4**  
60mm OD Post




**TRILOBULAR  
KEY**  
(TD3 Key)



**SECURITY SPANNER  
SPAN**  
Suits Trilobular

### BRACED SIGNS



**UNISTRUT BRACKETS**  
Single  
**P2041** 60mm OD  
**P2046** 76mm OD  
**P2050** 89mm OD  
**P2054** 102mm OD  
**P2058** 114mm OD  
**P2066** 140mm OD




**CAM  
BRACKETS**  
**CAMBKTDS** - Alum Rib  
**CAMBKTDS** - Uni - Unistrut



**UNISTRUT  
BRACKETS**  
**CB2-TT**  
Double Sided  
60mm OD



**SADDLE BRACKET**  
Single Sided  
**UN15-60** 60mm OD  
**UN15-76** 76mm OD  
**UN15-89** 89mm OD  
**UN15-102** 102mm OD  
**UN15-114** 114mm OD  
**UN15-140** 140mm OD




**ARC BRACKET**  
**ARC060** 60mm OD  
**ARC076** 76mm OD  
**ARC089** 89mm OD  
**ARC102** 102mm OD  
**ARC114** 114mm OD




**CBI**  
Single Sided  
**CBI**




**CB2**  
Double Sided  
**CB2**



**UCC BRACKET**  
**UCC002**




**RSJ CLAMP**  
**RSJCLAMP**



**TIMBER FRANGIBLE  
BRACKET**  
**FRANGBKT**



**DN 250**




**BACK TO BACK CLIP**  
**BBC060**  
**BBC076**  
**BBC089**



**RHS BRACKET**  
**RHSBRACKET**




## STREET NAME SIGNS



**STREET BLADE**  
(1 Way)  
AL16 150mm  
AL18 200mm




**STREET BLADE**  
(2 Way)  
AL26 150mm  
AL28 200mm



**STREET BLADE**  
(3 Way)  
AL36 150mm  
AL38 200mm



**B.S.CAP**  
BSCAP



**B.S.JOINING SET**  
BSJS




**STREET BLADE**  
TIMBER POST  
ALT6 150mm  
ALT8 200mm




**ML1**




**ML2**



**BSL BRACKET**



**BS CROSS BRACKET**



**SLOTTED BRACKET**  
ALT6B/ALT8B



**FOLDED**  
BRACKETS  
ALT6B-F  
ALT8B-F



**SUSPENSION**  
BRACKET  
CODE SB  
1.6 AL PLATE ONLY



**TD BOLT**  
TDBOLT



**ANTI-VANDAL**  
BOLT  
TDTRIBOLT

## BAND-IT RANGE



**STAINLESS STEEL**  
BAND ROLLS  
(30MT)  
STR13 13mm  
STR19 19mm



**BANDING BRACKET**  
UR151 (13mm Band)  
UR251 (16 & 19mm Band)



**BANDIT BUCKLE**  
BBUC13 13mm  
BBUC19 19mm



**BANDING TOOL**  
BTOOL



**NSW PARKING**  
SIGN BRACKETS  
SINGLE/DOMINIC  
RTA-SPB  
RTA-DPB



## SIGN ACCESSORIES

### SOCKETS



**LOC-SOCKET**  
**L SOCKETORIG**  
370mm




**LOC-SOCKET SPIKE**  
**LSOCSPI450**  
450mm  
**LSOCSPI600**  
600mm




**LOC-SOCKET**  
**DRIVING TOOL**  
**LSOCDRV**



**LOC-SOCKET**  
**WEDGE**  
**LSWEDGE**



**STB SLEEVE**  
**STB 400mm**  
**STB550 550mm**  
c/w Anti Twist Bar



**ROSTA SLEEVE**  
RS 540mm Long  
(With Anti Twist Bar)



**ANTI TWIST BAR**  
**ATBAR**



**GIBB/ROSTA KEY**  
**RK**



**ROADSIDE WEDGE**  
**WEDGE**




**VLOC**  
**VLOC-CON**  
**VLOC-SOIL**



**VLOC WEDGE**  
**VLOCWEDGE**



**LOC-SOCKET**  
**ALUMINIUM**  
(Signfix Version)  
**ALUM-SOC 300**  
**ALUM-SOC 450**



**BASE PLATE**  
**BASE PLATE 150**  
150 X 150mm  
**BASE PLATE 200**  
200 x 200mm



**POSTCAPS**  
**PCAP - Aluminium**  
**PCAPGAL - Steel**  
Galvanised



## POSTS

- All posts are galvanized
- Can be plain or pre-drilled to any specification, generally with 1, 2, 3 or 4 holes.
- Posts can be powder coated or 2 pack painted in any colour.
- Can be manufactured with base plates for surface mount installations.
- Standard base plate: 250 x 250 x 6mm
- Standard lengths: 1600, 2100, 2800, 3200, 3600, 3900, 4200 & 6500mm.


POST DIMENSIONS							
Nominal Bore (mm)	50	65	80	90	100	125	150
Outside Diameter (mm)	60.3	76.1	88.9	101.6	114.3	139.7	165.1





### FRANGIBLE FLUTED POSTS

- Manufactured from Marine Grade alloy
- Light and easy to handle
- Simple to install
- The pole flutes are designed to assist in the breakaway process by reducing the external contact surface at the shear point.
- Available in: 60, 76, 89, 102, 114 OD (mm).





# SAFETY SIGNS S9



# SAFETY SIGNS S9





# SAFETY SIGNS

## DANGER SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 225	A	Steel	S
450 x 300	B	Steel	S
600 x 450	C	Steel	S
300 x 225	A	Polypropylene	P
450 x 300	B	Polypropylene	P
600 x 450	C	Polypropylene	P
450 x 300	B	Fluted Plastic	F


**Note:** Steel & aluminium only available in NT. Please specify sizes and add to end of code when ordering.



## EMERGENCY FIRE / FIRST AID SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 450	A	Steel	S
450 x 600	B	Steel	S
300 x 450	A	Polypropylene	P
450 x 600	B	Polypropylene	P
450 x 600	B	Fluted Plastic	F

**Note:** Steel & aluminium only available in NT





## HAZARD SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 450	A	Steel	S
450 x 600	B	Steel	S
300 x 450	A	Polypropylene	P
450 x 600	B	Polypropylene	P
450 x 600	B	Fluted Plastic	F

**Note:** Steel & aluminium only available in NT



AS 441



AS 442



AS 443



AS 444



AS 445



AS 446



AS 447



AS 448



AS 449



AS 450



AS 451



AS 452



AS 453



CUSTOM



# SAFETY SIGNS

## MANDATORY SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 450	A	Steel	S
450 x 600	B	Steel	S
300 x 450	A	Polypropylene	P
450 x 600	B	Polypropylene	P
450 x 600	B	Fluted Plastic	F



AS 421



AS 422



AS 423



AS 424



AS 425



AS 426



AS 427




AS 428



AS 429



AS 430



CUSTOM

## PIPE MARKERS

PIPE DIAMETER (OUTER DIAMETER)	PIPE MARKER DIMENSION
40mm or less	100 x 450mm
41mm to 75mm	450 x 30mm
75mm or more	450 x 60mm



PIPELINEMARKERS-FH



PIPELINEMARKERS-E



PIPELINEMARKERS-NG

# SAFETY SIGNS



## PROHIBITED SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 450	A	Steel	S
450 x 600	B	Steel	S
300 x 450	A	Polypropylene	P
450 x 600	B	Polypropylene	P
450 x 600	B	Fluted Plastic	F



Note: Steel & aluminium only available in NT

AS402



AS403



AS404



NO  
ENTRY



NO  
SMOKING



CUSTOM

## SAFETY TAGS

MATERIAL	SIZE (mm)	COLOUR	CODE	PACK SIZE
Polypropylene	82 x 140	Yellow	ST7-P	100
Polypropylene	82 x 140	Blue	ST8-P	100
Polypropylene	82 x 140	Red	ST9-P	100
Polypropylene	82 x 140	White	ST10-P	100
Polypropylene	82 x 140	Green	ST11-P	100
Polypropylene	82 x 140	Orange	ST12-P	100



82 x 140



82 x 140



82 x 140



82 x 140



CUSTOM



## SAFETY SIGNS

### HYDRANT MARKERS

Available in red or green Scotchlite letters on a white Scotchlite background.



FH-A 150 x 100mm



HP-A 150 x 100mm




SV-A 150 x 100mm



H 75 x 125mm



HP-B 75 x 250mm



FH-B 75 x 250mm



HR 75 x 250mm



SV-B 75 x 250mm

### FIRE SIGNS



FIRE-262

(A) 300 X 450  
(B) 450 X 600



FIRE-263

(A) 300 X 450  
(B) 450 X 600



FIRE-264

(A) 300 X 450  
(B) 450 X 600



FIRE-265

(A) 300 X 450  
(B) 450 X 600



FIRE-266

(A) 300 X 450  
(B) 450 X 600

# RECREATIONAL SIGNS S10

RECREATIONAL SIGNS ARE USED PRIMARILY FOR THREE PURPOSES: TO INFORM THE PUBLIC OF RULES AND REGULATIONS IN A PARTICULAR AREA, TO ALERT THEM TO POTENTIAL HAZARDS AND LASTLY TO DIRECT THEM TO PARTICULAR FACILITIES.



**The three types of recreational signs are:**

- Advisory
- Regulatory/Prohibition
- Warning

Multiple Message Signs also fall into this category.

# RECREATIONAL SIGNS S10





## RECREATIONAL SIGNS

**Sizes Available:** (A) 150 x 150mm, (B) 200 x 200mm or (C) 300 x 300mm and (D) 450 x 450mm  
All Pictograms – Available in Circular or Square Plates.



TOILETS  
A1



WOMENS TOILETS  
A2



MENS TOILETS  
A3



DISABLED TOILETS  
A4



FIREPLACES  
A5



PICNIC AREA  
A6



PICNIC SHELTER  
A7



CAMPING AREA  
A8



PLAYGROUND  
A9



DRINKING WATER  
A10



PARKING  
A11



INFORMATION  
A12



TELEPHONE  
A13



FIRST AID  
A14



DIRECTIONAL ARROW (I)  
A15



DIRECTIONAL ARROW (2)  
A16



FAMILY WALK  
A17



SELF-GUIDED WALK  
A18



HIKING  
A19



CYCLING  
A20



HORSE RIDING  
A21



FISHING AREA  
A22



SWIMMING AREA  
A23



CANOEING  
A24



DIVING  
A25



## REGULATORY/PROHIBITION

**Sizes Available:** (A) 150 x 150mm, (B) 200 x 200mm or (C) 300 x 300mm and (D) 450 x 450mm

All Pictograms – Available in Circular or Square Plates.



CAMPING  
PROHIBITED  
P1



CATS & DOGS  
PROHIBITED  
P2



VEHICLES  
PROHIBITED  
P3



FIRES  
PROHIBITED  
P4



TRAILBIKES  
PROHIBITED  
P5



HORSES  
PROHIBITED  
P6



FIREARMS  
PROHIBITED  
P7



BICYCLES  
PROHIBITED  
P8



SWIMMING  
PROHIBITED  
P9



DIVING  
PROHIBITED  
P10



FISHING  
PROHIBITED  
P11



PICKING OF PLANTS  
PROHIBITED  
P12



CUSTOM





## RECREATIONAL SIGNS

### WARNING

Sizes Available: (A) 300 x 300mm & (B) 450 x 450mm



SLIPPERY ROCKS  
WPV005



SLIPPERY WHEN WET  
WPV004



KANGAROOS  
WPV015



WALKING TRACK  
WPV036



HIGH SURF  
WPV032



KOALAS  
WPV016



SHARKS  
WPV020



STRONG  
CURRENTS  
WPV023



SNAKES  
WPV034




CUSTOM

### MULTIPLE MESSAGE SIGNS

Sizes Available: 75 x 200mm (1.5M), 75 x 300mm (1.5M), 75 x 300mm (1.5M) & 75 x 450mm (1.8M)

Totem Colour: Black, Grey, Green & Blue



80mm  
Totem poles,  
Recycled plastic & Timber

# SPECIALITY PRODUCTS S11



# SPECIALITY PRODUCTS S11





## SPECIALITY PRODUCTS

### AIRPORT CONES AND GABLES



LARGE CONE  
WHITE



LARGE CONE  
YELLOW



LARGE CONE  
WHITE & RED



LARGE CONE  
WHITE



LARGE CONE  
YELLOW



LARGE CONE  
WHITE & RED



MINI CONE  
WHITE & SILVER



MINI CONE  
YELLOW & BLUE



TRIANGLE REFLECTOR  
YELLOW & BLUE



1500mm GABLE WHITE  
3000mm GABLE WHITE



1500mm GABLE YELLOW  
3000mm GABLE YELLOW



# SPECIALITY PRODUCTS



## AIRPORT LIGHTS



AV15



AV23



AV70  
RED



AV70  
BLUE



AV125



AV200



AV300



AV10

## STANDS



A FRAME  
STRUT



### ROLL UP BANNERS

- ROLLUP-A 594 x 1188
- ROLLUP-B 840 x 2185
- ROLLUP-C 1000 x 2185
- ROLLUP-D 1200 x 2185




## SPECIALITY PRODUCTS

### SPECIALTY SIGNS



BUILDING AUSTRALIA  
TYPE B ALUMINIUM SIGNAGE  
900 x 1200



NATIONAL BUILDING PROGRAM  
ROADS TO RECOVERY  
900 x 1200



NATIONAL BUILDING PROGRAM  
BLACK SPOT PROGRAM  
900 x 1200



AFDRS  
AUSTRALIAN FIRE DANGER RATING SYSTEM  
(SIZED TO STATE SPECIFICATIONS)  
1800 x 1585

Numerical plates:  
0 1 2 3 4 5 6 7 8 9

Month plates:  
JANUARY JULY  
FEBRUARY AUGUST  
MARCH SEPTEMBER  
APRIL OCTOBER  
MAY NOVEMBER  
JUNE DECEMBER


AFDRS  
OPTIONAL INTERCHANGEABLE  
NUMERIC / MONTH PLATES

Information plates:  
PLAN AND PREPARE  
BE READY TO ACT  
TAKE ACTION NOW  
LEAVE BUSHFIRE RISK AREA  
FIRE DANGER SEASON RULES APPLY  
BE BUSHFIRE READY  
IN AN EMERGENCY TUNE INTO XXXAM

AFDRS  
OPTIONAL INTERCHANGEABLE  
INFORMATION PLATES  
1400 x 150

**TOTAL FIRE BAN TODAY**

### OTHER PRODUCTS



WIDTH	SIZE (mm)
W	600
W	900
W	1200
MTO	XXX

#### GRAB RAIL HANDRAILS

Cycle hand rails, available in various colours and sizes. Available with or without tapes.

# SPECIALITY PRODUCTS



## BRAILLE TACTILE

### BRAILLE TACTILE SIGNS

DeNeefe Signs offer Braille Tactile Signs that are Fully Compliant with the relevant Australian Standards and Building Codes of Australia.

These Quality Signs feature a Continuous Surface and Fully Encapsulated Polycarbonate Membrane, Ensuring Durability and allowing them to be kept Hygienically Clean.

Choose from our extensive Standard Range in 'White on Blue' or 'Black on Silver', supplied on a full backing of self-adhesive, ensure an easy installation to flat or curved surfaces.

Our Standard Range is available in multiple colour and material options (including aluminium), or you may choose to customise colours, backings and sizes to suit your requirements.

Looking for something fully custom, no worries, and we can assist you with your specific requirements from design through to manufacture and supply.

### BRAILLE TACTILE SIGNS

DeNeefe Signs proudly distribute the Braille Tactile Signs (Aust)® product that are Fully Compliant with the relevant Australian Standards and Building Codes of Australia.

Norsign NT is the official distributor for the NT



BTS01N-SLV



BTS02N-SLV



BTS03-SLV



BTS05N-SLV



BTS06N-SLV



BTS01N-BLU



BTS02N-BLU



BTS03N-BLU



BTS05N-BLU



BTS06N-BLU



## SPECIALITY PRODUCTS



BTS11LHN-SLV



BTS11RHN-SLV



BTS33LHN-SLV



BTS33RHN-SLV



BTS35LHN-SLV



BTS11LHN-BLU



BTS11RHN-BLU



BTS33LHN-BLU



BTS33RHN-BLU



BTS35LHN-BLU



BTS35RHN-SLV



Shower



Toilets



Baby Change



BTS207-SLV



BTS35RHN-BLU



Shower



Toilets



Baby Change



BTS207-BLU



Female Ambulant Toilet



Male Ambulant Toilet



Unisex Ambulant Toilet



Female Toilets



Female Toilets



Female Ambulant Toilet



Male Ambulant Toilet



Unisex Ambulant Toilet



Female Toilets



Female Toilets

## SPECIALITY PRODUCTS



BTS236-AL-SLV



BTS236-SLV



BTS270-SLV



Entry



BTS308-AIRLOCK-SLV



BTS236-AL-BLU



BTS236-BLU



BTS270-BLU



Entry



BTS308-AIRLOCK-BLU



BTS308-SLV



BTS350-SLV



All Gender  
Toilet LH



All Gender  
Toilet RH



BTS407-AL-SLV



BTS308-BLU



BTS350-BLU



All Gender  
Toilet LH



All Gender  
Toilet RH



BTS407-BLU

Stock signs are available with a standard blue background with white graphics applied to a blue PVC substrate. Custom **braille tactile™** signs can be manufactured to match any colour range and can be supplied applied to PVC, aluminium or to any nominated substrate. Custom **braille tactile™** signs are priced on application.



## SPECIAL ORDER ELECTRONIC SIGNAGE



## VEHICLE ACTIVATED SIGNS (VAS)



W5-V116A 1000 x 1875  
W5-V116B 1200 x 2200  
W5-V116C 1500 x 2638



W5-V131A 1000 x 1875  
W5-V131B 1200 x 2200  
W5-V131C 1500 x 2638



W5-V122A 1000 x 1770  
W5-V122B 1200 x 2075  
W5-V122C 1500 x 2470



RX11A 1000 x 1770  
RX11B 1200 x 2075



W3-V101A 1000 x 1770  
W3-V101B 1200 x 2075  
W3-V101C 1500 x 2470

## ELECTRONIC SPEED LIMIT SIGNS (ESLS)



These are just a selection of our Electronic and Solar Panel Signs. Please contact our sales team on 1300 88 SIGN to find more information on the electronic signage options available.





## STATE OF THE ART RADAR SPEED AWARENESS SIGN



### EVOLIS STATE OF THE ART RADAR SPEED SIGN

Radar Speed Awareness Sign with programmable messaging and speed accuracy, striking visibility, reliability in all conditions, easy to install, the EVOLIS Vision radar boasts a host of advantages that have made it an international benchmark: over 10,000 town councils have adopted it and there are over 30,000 units in operation worldwide.

#### TRAILER MOUNTED ALSO AVAILABLE

##### An impactful display making it the most effective of radars

- Greater visibility meaning earlier driver awareness
- Three-colour display reflecting the different speed bands
- Customizable messages to match your priorities
- Accurate, long-range Doppler radar antenna (300 meters)

##### Connected radar for high-performance analysis

- Traffic data recorded in both directions
- A software package for analyzing your traffic data
- Various connectivity options

##### Durability and long-term reliability

- Extremely durable housing
- Robust front face
- Two-year parts and labour guarantee
- Service contract for your peace of mind

##### Simple, safe installation

- Easy installation built into the design
- Can be configured directly on the appliance
- Four power supply modes to suit sites of all kinds
- Lightweight: only one person needed for installation or relocation






### GIBNEY BARRIER

Step forward towards better safety outcomes for traffic controllers and road workers with an alternative to the STOP/SLOW bat.

The Gibney Barrier moves traffic controllers off live lanes - a crucial step to improve the safety and wellbeing of people in the industry.



# COMMERCIAL GRAPHICS S12



# COMMERCIAL GRAPHICS S12

DENEFE SIGNS IS ONE OF THE LARGEST SIGN MANUFACTURERS IN AUSTRALIA. OUR SPECIALISED DEPARTMENTS ARE ABLE TO CARRY OUT A WIDE RANGE OF PROJECTS INCLUDING VEHICLE MARKINGS, BUILDING GRAPHICS, INDOOR AND OUTDOOR SIGNAGE AND PRESSURE SENSITIVE DECALS.

## Screen printing

- Up to 8 colour process and line art

## Graphics

- Digital printing and graphic design

## Converting


- Computer cut lettering, anti graffiti films and sign lay up

## Metal

- Plate manufacture, fabrication of specialist sign frames, stands, light boxes and freeway structures, flat bed router and engraving, fully automatic and hand held spray booths capable of baked enamel, acrathane, automotive and anti graffiti finishes.


## Stores/Despatch

- A Nationwide network of couriers and freight companies able to transport any size sign or complete project.
- Put all of the above together with our ISO9001, ISO45001, ISO14001 accredited systems and over 75 years of sign manufacturing experience, and we can ensure unsurpassed quality and customer satisfaction. DeNeefe Signs can formulate you a complete sign package from beginning to end.





## COMMERCIAL GRAPHICS









# 3M SIGN WARRANTY

DeNeefe Signs is an innovative manufacturer of Traffic Control Signage and associated equipment, ranging from the smallest pressure sensitive decal to the largest guide sign. Since the early 1950's, DeNeefe have had a close association with 3M Australia Pty Ltd and as such, are able to provide the full flow on benefits of 3M's extended sign replacement warranty for all of our durable and permanent traffic signs.

This together with our technical expertise and manufacturing know how, developed over the past 80 years, our ongoing commitment towards customer satisfaction and the manufacture of quality products has made us the largest traffic sign manufacturer in Australia with branches in VIC, NSW, QLD, ACT, WA, SA, TAS & NT.

We are proud to say we are an Australian owned company and promote Australian manufactured products.

BASE/BACKGROUND SHEETING		APPLICABLE EXTENDED WARRANTY			
Applicable Standards of Retroreflective Sheeting for AS/NZS 1906.1 2007	Compliant 3M Retroreflective Sheeting	3M Approved Legend & Graphics †	Warranted Vertical Outdoor Exposure	Warranted Retained Luminance (CIL/m <sup>2</sup> Percentile)*	
CLASS 1100	3M Diamond Grade™ DG3 Reflective Sheeting Series 4000 (non-fluorescent colours)	3M™ Electrcut™ Film Series 1170	12 years	80%**	
		3M UV Ink Series 8800, with 1170 clear overlay			
		3M Screen Process Colours Series 880i			
	3M Diamond Grade™ DG3 Reflective Sheeting Series 4083 Fluorescent Yellow/Green & 4081 Fluorescent Yellow	3M™ Electrcut™ Film Series 1170	10 years†		
		3M UV Ink Series 8800, with 1170 clear overlay			
		3M Screen Process Colours Series 880i			
	3M Diamond Grade™ DG3 Reflective Sheeting Series 4084 Fluorescent Orange	3M Electrcut™ Film Series 1170	3 years		
		3M UV Ink Series 8800, with 1170 clear overlay			
		3M Screen Process Colours Series 880i			
CLASS 900	3M VIP 3990 series (non-fluorescent colours)	3M Electrcut™ Film Series 1170	12 years	80%**	
		3M UV Ink Series 8800 and 8900, with 1170 clear overlay			
		3M Screen Process Colours Series 880i			
	3M VIP 3990 series 3983 Fluorescent Yellow/Green & 3981 Fluorescent Yellow	3M Electrcut™ Film Series 1170	10 years		
		3M UV Ink Series 8800 and 8900, with 1170 clear overlay			
		3M Screen Process Colours Series 880i			

\*Warranted retained brightness levels apply to reflective sheetings used for sign background borders and legends.

\*\* Retained CIL percentile is based on minimum CIL values for new reflective sheetings by Class for Observation Angle 0.2° and Entrance Angle 4° defined in relevant tables included in AS/NZS 1906.1.2007

† If 3M™ Scotchcal™ Electrcut Film Series 7725-12 Black is used for legend or graphics, the sign will only have a Warranted Vertical Outdoor Exposure of 8 years.

‡ 3M full replacement warranty applicable for 12 years in NSW on RMS permanent signs.

NB: 3M 160 Anti Graffiti Film and 180 Anti Dew Film can be used in addition to any of the above legend and graphic material combinations. The finished signs maintain the warranty periods and conditions listed above. The 180 maintains anti dew properties for up to 5 years.



# WARRANTY



ICS Platinum Warranty

## Avery Dennison ICS Platinum Warranty Certificate

ICS Warranty No: 20171212DS

Avery Dennison is pleased to offer the following ICS Platinum Extended Warranty Certificate:

Sign Manufacturer:	De Neefe Signs, 25 Brisbane Street, Eltham, Victoria, 3095
Application:	Permanent Traffic Signs to Government Agencies in Australia
Substrate:	Conditioned aluminium as per AS/NZS1906.1:2007
Films:	The complete range of Avery Dennison Reflective Traffic Products
Warranty Period:	T-1500 EG Class 2 to 7 years with 4930 series screen inks or OL2000 series coloured or transparent clear film or TrafficJet Spot colours with OL-1000 or OL-2000 film
	T-6500 Prismatic Class 1/W to 10 years with 4930 series screen inks and to 12 years with OL-2000 series coloured or transparent clear film or TrafficJet Spot colours with OL-1000 or OL-2000 film
	T-11500 Omni-Cube Prismatic Class 1/X to 10 years with 4930 series screen inks and to 12 years with OL2000 series coloured or transparent clear film or TrafficJet Spot colours with OL-1000 or OL-2000 film

From the date of sign manufacture and if within the warranted period of vertical outdoor exposure, the reflective sheeting deteriorates due to natural causes to the extent that the sign fails to retain the minimum retro reflectivity values as defined in the Warranty Schedule, **Avery Dennison shall meet the total cost of replacing the sign including all labour and materials**. This ICS Platinum Extended Warranty shall remain in place for 24 months from the date of issue subject to De Neefe Signs complying with ongoing Avery Dennison Quality Audits.

### Warranty Conditions

This warranty shall be effective only if all of the following conditions are met:  
The sign manufacturer must have been an Avery Dennison certified authorized converter at the time the sign was manufactured.  
The failure must have resulted solely from a manufacturing defect or deterioration of the sheeting due to natural causes. Without limiting the generality of the foregoing, there is no warranty for the failure of the sheeting due to improper sign fabrication, improper storage, handling, installation, or maintenance, or failure of the sign substrate, or vandalism or malicious mischief. Slight color fading, cracking, chalking, edge lifting, or slight reduction in gloss or reflectivity will not materially detract from appearance and does not constitute a breach of warranty.

If Avery Dennison products with differing warranty periods are combined on a sign, the lesser warranty period will apply.  
Avery Dennison has published instructional bulletins pertaining to the storage, handling, and cleaning of sheeting, approved sheeting substrates, and sheeting application procedures (collectively, the "Procedures"). The sheeting must have been processed and applied to blank sign material in accordance with the Procedures, as such may be amended from time to time. The sign dating, warranty registration, and claim procedures promulgated by Avery Dennison must be followed, and failure to follow such procedures shall void this warranty.

Replacement sheeting carries only the unexpired warranty of the sheeting it replaces.

It is a condition of this warranty that Avery Dennison reserves the right to properly clean the sign under complaint and subject it to any testing deemed necessary to determine the validity of any claim.

### Warranty Limitations

The remedies provided under this warranty are exclusive. Avery Dennison shall not be liable for any direct, indirect, incidental or consequential damages or specific relief, and, except as specifically provided herein, in no event shall Avery Dennison's liability hereunder exceed the value of the Avery Dennison product giving rise to liability. **THIS WARRANTY IS GIVEN IN LIEU OF ALL OTHERS. ANY AND ALL OTHER WARRANTIES, WHETHER EXPRESS OR IMPLIED, INCLUDING IMPLIED WARRANTIES OF MERCHANT-ABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE HEREBY DISCLAIMED.**

# YOUR GUIDE TO SIGN STORAGE AND HANDLING

## A GUIDE TO HIGHLIGHT THE IMPORTANT ASPECTS OF REFLECTIVE SIGN STORAGE AND HANDLING

### GENERAL STORAGE

Signs should be handled, transported and stored to protect the sign face. Signs should be stored vertically with edges clear of the ground.

### INDOOR STORAGE

Storing signs indoors is preferable. Moisture should not come in contact with the sign face. Packing that becomes damp or wet should be removed immediately. Steps should be taken to ensure signs are not stored in areas of high temperature and humidity.

### OUTDOOR STORAGE

Signs stored outdoors should be unwrapped, stored upright and sit on wooden battens. A racking system ensures sign faces do not become damaged by signs resting against each other and allows adequate air circulation which prevents a build up of moisture.

### SIGN TRANSPORTATION

Large direction signs should be braced with stiffener to avoid buckling and adequately supported and secured to avoid damage due to scuffing, abrasion and load shifting.

### SIGN ERECTION

Once on site, signs should not be laid flat on the ground as it can result in damage to the reflective sign face. Bolts should be tightened using offset spanners. Avoid over tightening. Nylon washers should be used between the bolt head and sign face. After installation, signs should be inspected to see that they have not been damaged and are free of oil and dirt residue.

### SIGN COVERING

The covering of signs is not recommended. If it is necessary to cover a sign then a porous cloth should be used allowing air circulation, and then only for limited periods. Do not use paper or plastic covers as heat and moisture entrapment can cause permanent damage to the reflective sign face.

### SIGN CLEANING

For maximum performance signs should be kept clean and free from dirt, road tar, oil, bituminous material and mulch. Cleaning with a wet, detergent type non-abrasive cleaner is recommended. Following the use of any cleaning agent, the sign face should be thoroughly and immediately rinsed with water. Care should be taken not to abrade the sign face.



## For Order and Enquiries:

-  3/10 Carbon Court, Osborne Park 6017
-  [asap-signs.com.au](http://asap-signs.com.au)
-  (08) 6285 4003
-  [quotes@asap-signs.com.au](mailto:quotes@asap-signs.com.au)

